

ACCESS SERVICE6. Switched Access Service6.1 General

Switched Access Service, which is available to customers for their use in furnishing their service to end users, provides a two-point electrical communications path between a customer's premises and end user's premises. It provides for the use of common terminating, switching and trunking facilities, dedicated trunking facilities, and common subscriber plant of the Telephone Company. Switched Access Service provides for the ability to originate calls from an end user's premises to a customer's premises, and to terminate calls from a customer's premises to an end user's premises in the Access Area where it is provided. Specific descriptions of each Switched Access Service are provided in 6.2. Switched Access Services may be connected to a customer's transmission equipment and facilities using a DS1 or DS3 Cross Connect arrangement where the customer is provided Expanded Interconnection Service as defined in Section 17.

Switched Access services, when used to provide Tandem Switch Signaling (TSS) may be connected to a customer's access tandem via Switched Transport Access services or to a customer's transmission equipment and facilities using a DS1 or DS3 Cross Connect arrangement where the customer is provided Expanded Interconnection Service as described in Section 17. TSS is available only with FGD and BSA-D Switched Access, 500 SAC Access and 900 SAC Access Services provided from equal access end offices. TSS is provided in multifrequency (MF) address signaling format from equal access end offices. TSS is also provided in SS7 Out of Band Signaling format at suitably equipped (Service Switching Point) end offices. TSS is not available from end offices that use alternate technologies to provide equal access capabilities, nor from Telephone Company access tandems.

The Telephone Company, to the extent that such services are or can be made available with reasonable effort, and after provision has been made for the Telephone Company's telephone exchange services, will provide to the customer upon reasonable notice service offered in this section of this tariff at rates and charges specified therein.

Switched Access Service purchased from the provisions of this tariff may be commingled with unbundled network elements, where available, or unbundled network element combinations, where available, purchased pursuant to the Commission's Part 51 Interconnection Rules and in compliance with the Federal Communications Commission's Report and Order and Order on Remand and Further Notice of Proposed Rulemaking in CC Docket Nos. 01-338, 96-98 and 98-147, adopted February 20, 2003 and released August 21, 2003 (FCC 03-36). Unbundled elements and commingling are not available in designated rural CenturyTel Operating companies where a 251 (f) exemption is in effect. (N)

Switched Access Feature Group's are ordered in either quantities of lines or trunks or in Busy Hour Minutes of Capacity (BHMC). FGA and BSA-A is furnished on a per-line basis, and FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service are furnished on a per-trunk basis in accordance with the capacity ordered in trunks or BHMC. (N)

Transmittal No. 33

Issued: November 6, 2003

Effective: November 21, 2003

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service6.1 General (Cont'd)6.1.1 Service Arrangements

Switched Access is provided in conjunction with either of two types of access services, bundled Feature Groups or unbundled Lineside, Trunkside and Dedicated Network Access Link (DNAL) Basic Serving Arrangements (BSAs). BSAs, described in 6.2.5, 6.2.6, 6.2.7 and 6.2.8, are provided in two basic categories differentiated by their technical characteristics and how they connect, line side or trunk side connection, to the Telephone Company's first point of switching. The trunk side BSA is further differentiated into three alternatives based upon how the end user accesses the trunk side BSA, with or without an access code. Feature Group A (FGA) and Basic Serving Arrangement A (BSA-A) are defined as line side connections to the Telephone Company's network. Feature Group B (FGB), Feature Group C (FGC), Feature Group D (FGD), Basic Serving Arrangement Alternative B (BSA-B), Basic Serving Arrangement Alternative C (BSA-C), and Basic Serving Arrangement Alternative D (BSA-D) are defined as trunk side connections to the Telephone Company's network. The use of a line side or trunk side switched access connection is dependent upon the switched access arrangement ordered by the customer.

Feature Groups and BSAs are arranged for either originating, terminating or two-way calling, based on the customer end office switching capacity ordered, while originating 500 Access Service, 800/877/888 Access Service and 900 Access Service is arranged for originating calling only. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the customer's premises. Terminating calling permits the delivery of calls from the customer's premises to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously.

Switched Access will be provided as both Feature Groups and BSAs to Telephone Company end offices either directly routed or routed via an access tandem, except as set forth following:

- Feature Group and BSA trunk side equivalents (FGB and BSA-B, FGC and BSA-C, and FGD and BSA-D) may not be provided for the same Carrier Identification Code (CIC) and/or Billing Account Number (BAN) at Telephone Company end offices which subtend the same tandem. When a Telephone Company end office subtends multiple tandems, Feature Group and BSA trunk side equivalents may not be provided for the same CIC and/or BAN at any Telephone Company end office which subtends either tandem.
- Feature Group and BSA line side equivalents (FGA and BSA-A) may not be mixed in the same multiline hunt group.

Switched Access ordering regulations are detailed in 5.1.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE6. Switched Access Service (Cont'd)6.1 General (Cont'd)6.1.1 Service Arrangements (Cont'd)

Switched access feature groups and BSAs may be provided in conjunction with voice grade Special Access services in order to complete communications to and from the customer's location. A complete description of the Switched Access Interface Arrangement is set forth in 6.3.2(T).

6.1.2 Technical Specifications

There are three specific transmission specifications (i.e., Types A, B and C) that have been identified for the provision of Switched Access Arrangements. The specifications provided are dependent on the Interface Group associated with the Local Transport Entrance Facility and the routing of the service, i.e., whether the service is routed directly to the end office or via a Telephone Company access tandem. The parameters for the transmission specifications and descriptions of the Interface Groups are set forth in 9.

6.1.3 Optional Features

There are various nonchargeable optional features available with the Switched Access Feature Group Arrangements. These additional optional features are provided as Local Transport, Common Switching or Transport Termination options. Nonchargeable optional features for each Switched Access Arrangement are identified in 6.2.1, 6.2.2, 6.2.3, 6.2.4, 6.2.10, 6.2.11, 6.2.12 and 6.2.13.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements

Following are detailed descriptions of each of the available Feature Groups, 500 Access Service, 800/877/888 Access Service and 900 Access Service. Each is described in terms of its specific physical characteristics and calling patterns, the transmission specifications with which it is provided and the optional features available for use.

Optional features are described in 6.3. Additional regulations pertaining to the provision of these arrangements are set forth in 6.4.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.1 Feature Group A (FGA)

(A) Description

- (1) FGA is provided via a line side connection at Telephone Company electronic and electromechanical end office switches with an associated seven digit telephone number for the customer's use in originating communications to or terminating communications from an Interexchange Carrier's Interstate Service or a customer provided interstate communications capability. At the option of the customer, FGA is provided on a single or multiple line group basis and is arranged for originating calling only, terminating calling only, or two-way calling.
- (2) FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the customer.
- (3) The Telephone Company shall select the first point of switching, within the selected FGA Access Area, at which the line side connection is to be provided unless the customer requests a different first point of switching and Telephone Company facilities and measurement capabilities, where necessary, are available to accommodate such a request.
- (4) A seven digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.1 Feature Group A (FGA) (Cont'd)

(A) Description (Cont'd)

(4) (Cont'd)

If the customer requests a specific seven digit telephone number that is not currently assigned, and the Telephone Company can, with reasonable effort, comply with that request, the requested number will be assigned to the customer.

(5) FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction FGA switching may, at the option of the customer, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.

(6) No address signaling is provided by the Telephone Company when FGA Switching is used in the originating direction. Address signaling in such cases, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.

(7) FGA Switching, when used in the terminating direction, may be used to access the Telephone Company specified set of valid NXXs within the FGA Access Area.

For FGA, the Access Area is defined as the local exchange calling area of the end office switch from which the FGA service is provided as set forth in the Telephone Company's local or general exchange service tariff.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.1 Feature Group A (FGA) (Cont'd)
- (A) Description (Cont'd)
- (7) (Cont'd)

At the customer's option, Access is also provided for terminating FGA calls, established on a 1+ basis, to NXXs outside the FGA Access Area but remaining within the LATA. Switched Access Service rate elements will apply to such traffic as set forth in 6.5.9 following.

Terminating access is also provided to local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212) emergency reporting service (911 where available), exchange telephone repair (611 where available), time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services (by dialing the appropriate digits).

Charges for FGA terminating calls requiring operator assistance or calls to 611 or 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the local exchange tariffs, for local operator assistance (0- and 0+) calls, (2) calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services, and (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer.

For calls to Directory Assistance additional non access charges may also be billed at the applicable rates under the Telephone Company local exchange tariffs.

- (8) Feature Group A Switched Access Service is available with additional termination (i.e. extensions) of the service at different building(s) in the same or different local calling area. Application of rates for Feature Group A extension service is found in 6.5.8 following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.1 Feature Group A (FGA) (Cont'd)(A) Description (Cont'd)

- (9) When a FGA switching arrangement for an individual customer (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

(10) Message Unit Credit

Calls from end users to the seven digit local telephone numbers associated with Feature Group A Switched Access Service are subject to Telephone Company local and/or general exchange service tariff charges (including message unit and toll charges as applicable). The monthly bills rendered to customers for their Feature Group A Switched Access Service will include a credit to reflect any message unit charges billed to their end users under the Telephone Company's local and/or general exchange service tariffs. The credit will apply for recorded originating usage or for assumed originating usage, as appropriate for the FGA service provided. When the credit is applied on assumed usage, such credit will not exceed the assumed levels of usage set forth in 6.6 following. No credit will apply for any terminating FGA access minutes. The message unit credit for originating access minutes will be based on the generally applicable message unit charges of the Telephone Company. All applicable message unit credits will be developed on an exchange specific basis only.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.1 Feature Group A (FGA) (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Hunt Group Arrangement
 - (b) Uniform Call Distribution Arrangement
 - (c) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement
 - (d) Call Denial
 - (e) Service Code Denial
 - (f) Switched Access Interface
 - (2) Transport Termination Optional Features
 - (a) Two-way operation with dial pulse address signaling and loop start supervisory signaling
 - (b) Two-way operation with dial pulse address signaling and ground start supervisory signaling
 - (c) Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling
 - (d) Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling
 - (e) Terminating operation with dial pulse address signaling and loop start supervisory signaling
 - (f) Terminating operation with dial pulse address signaling and ground start supervisory signaling
 - (g) Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling
 - (h) Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling
 - (i) Originating operation with loop start supervisory signaling
 - (j) Originating operation with ground start supervisory signaling.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.1 Feature Group A (FGA) (Cont'd)
- (B) Optional Features (Cont'd)
 - (3) Local Transport Optional Features
 - (a) Supervisory Signaling
 - (b) Customer Specified Entry Switch Receive Level
 - (4) Local Features

Certain other features which may be available in connection with Feature Group A are provided under the Telephone Company's local and/or general exchange service tariffs.

These are:

- (a) Speed Calling
 - (b) Remote Call Forwarding
 - (c) Bill Number Screening
 - (d) intraLATA extensions
- (C) Transmission Specifications

FGA is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the first point of switching. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGA to the first point of switching. FGA Interface Groups and Codes are described further in 9 following. FGA Transmission specifications are described further in 9 following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.2 Feature Group B (FGB)(A) Description

- (1) FGB provides trunk side access to Telephone Company end office switches with an associated uniform access code for the customer's use in originating communications to and terminating communications from an Interexchange Carrier's Interstate Service or a customer - provided interstate communications capability. FGB is provided by the Telephone Company directly to appropriately equipped Telephone Company electronic end offices or via Telephone Company designated electronic access tandems which provides access to Telephone Company electronic and electromechanical end offices within that Telephone Company Access Tandem Network.
- (2) FGB is provided as trunk side switching through the use of end office or Telephone Company access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
- (3) FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in 6.3, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (4) The access code for FGB switching is a uniform access code in the form of 950-XXXX or 1+950-XXXX for carriers. One uniform access code will be assigned to the customer for the customer's domestic communications and another will be assigned to the customer for its international communications, if required. These uniform access codes will be the assigned access numbers of all FGB switched access service provided to the customer by the Telephone Company.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

- (5) FGB switching, when used in the terminating direction, may be used to access valid NXXs in the FGB Access Area. When directly routed to an end office, the Access Area for FGB includes only those valid NXX codes served by that end office. When routed through a Telephone Company access tandem the Access Area for FGB service includes only those valid NXX codes served by end offices subtending that Telephone Company access tandem.

Access is also available to time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits).

The customer will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer.

Calls in the terminating direction will not be completed to 950-XXXX or 1 + 950-XXXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911 or 101XXXX access codes. FGB may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C and D.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.2 Feature Group B (FGB) (Cont'd)

(A) Description (Cont'd)

(6) The Telephone Company will establish a trunk group or groups for the customer at end offices or Telephone Company access tandems where FGB is provided. When required by technical limitations, a separate trunk group will be established for each type of FGB arrangement provided. Different types of FGB or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(7) When all FGB is discontinued at an end office and/or in a Access Area, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.2 Feature Group B (FGB) (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI)
 - (b) Up to Seven Digit Outpulsing of Access Digits to Customer
 - (c) Switched Access Interface
 - (2) Transport Termination Optional Features
 - (a) Rotary Dial Station Signaling
 - (3) Local Transport Optional Features
 - (a) Customer Specification of Local Transport Termination
 - (b) Supervisory Signaling
 - (c) Customer Specified Entry Switch Receive Level
 - (4) Local Features

Another feature, Bill Number Screening, which may be available in connection with FGB, is provided under the Telephone Company's local and/or general exchange service tariffs.
- (C) Transmission Specifications

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via a Telephone Company access tandem. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.3 Feature Group C (FGC)(A) Description

- (1) FGC, available to AT&T only, is provided at all Telephone Company end offices on a direct trunk basis or via Telephone Company designated access tandems for AT&T's use in originating and terminating communications. FGC is provided to AT&T at an end office unless Feature Group D is provided in the same end office. When FGD is available, FGC will not be provided.
- (2) FGC is provided as trunk side switching through the use of end offices or Telephone Company access tandems. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided.
- (3) FGC is provided with multifrequency address signaling except in certain electromechanical end offices where multifrequency signaling is not available. In such end offices, the address signaling will be dial pulse, revertive pulse, immediate dial pulse or panel call indicator signaling, whichever is available. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.3 Feature Group C (FGC) (Cont'd)(A) Description (Cont'd)

- (4) No access code is required for FGC. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1+ NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN.
- (5) FGC when used in the terminating direction, may be used to access valid NXXs in the FGC Access Area. When directly routed to an end office the FGC Access Area includes only those valid NXX codes served by that office. When routed through a Telephone Company access tandem, the FGC Access Area includes only those valid NXX codes served by offices subtending that Telephone Company access tandem.

Access is also available to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes.

Where measurement capabilities exist, the customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from a FGC trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX or 1+950-XXXX access codes, local operator assistance (0- and 0+), Directory Assistance service codes 611 and 911, and 101XXXX access codes. FGC may not be switched, in the terminating direction, to Switched Access Service Feature Groups B, C or D.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.3 Feature Group C (FGC) (Cont'd)

(A) Description (Cont'd)

- (6) The Telephone Company will establish a trunk group or groups for the customer at end offices or Telephone Company access tandem where FGC is provided. When required by technical limitations, a separate trunk group will be established for each type of FGC provided. Different types of FGC or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- (7) Operator Transfer Service (forwarding of 0- calls) and Inward Operator Assistance Services (Busy Line Verification, Interrupt, and Operator Assistance) may be provided with FGC Switched Access Service at Telephone Company designated Operator Service switching locations. Operator Services are provided as set forth in Section 16.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.3 Feature Group C (FGC) (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI)
 - (b) Service Class Routing
 - (c) Dial Pulse Address Signaling
 - (d) Revertive Pulse Address Signaling
 - (e) Delay Dial Start-Pulsing Signaling
 - (f) Immediate Dial Pulse Address Signaling
 - (g) Panel Call Indicator Address Signaling
 - (h) Alternate Traffic Routing
 - (i) Trunk Access Limitation
 - (j) Switched Access Interface

- (2) Transport Termination Optional Features

Operator Trunks - i.e., Coin, Non-Coin and Combined Coin and Non-Coin. (Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available).

- (3) Local Transport Optional Features

Supervisory Signaling as set forth in 6.3.1.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.3 Feature Group C (FGC) (Cont'd)
- (C) Transmission Specifications

FGC is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to a Telephone Company access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to a Telephone Company access tandem.

Type DB Data Transmission Parameters are provided with FGC for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office when routed via a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.4 Feature Group D (FGD)(A) Description

- (1) FGD is provided at Telephone Company designated end offices whether routed directly or via Telephone Company designated access tandems. The Telephone Company will designate the First Point(s) of Switching for FGD services where the Telephone Company elects to aggregate traffic at a central location. Those Telephone Companies providing FGD in a centralized Telephone Company equal access tandem arrangement are listed in 15.2.
- (2) FGD is provided as trunk side switching through the use of end office or Telephone Company access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling except for FGD provided with SS7 Out of Band Signaling.
- (3) FGD is provided with multifrequency address signaling or SS7 Out of Band Signaling. FGD with SS7 Out of Band Signaling is provided at suitably equipped Telephone Company end offices or Telephone Company access tandems. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (4) FGD, when used in the terminating direction, may be used to access valid NXXs in the FGD Access Area. When directly routed to an end office the FGD Access Area includes only those valid NXX codes served by that office. When routed through a Telephone Company access tandem the FGD Access Area includes only those valid NXX codes served by equal access end offices in the Telephone Company access tandem network.

Access is also available to time or weather announcement services of the Telephone Company, community information service of an information service provider, and other customers' services (by dialing the appropriate codes) when such services can be reached using valid NXX codes.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.4 Feature Group D (FGD) (Cont'd)(A) Description (Cont'd)

- (5) The Telephone Company will establish a trunk group or groups for the customer at the First Point(s) of Switching where FGD is provided. When required by technical limitations, a separate trunk group will be established for each type of FGD arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- (6) No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in 8.5. Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the number dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN.

The access code for FGD is a uniform access code of the form 101XXXX. Technical limitations in certain end offices subtending a centralized Telephone Company equal access tandem will preclude the availability of a 101XXXX access code. These offices are identified in the National Exchange Carrier Association Tariff F.C.C. No. 4. A single access code will be the assigned number of all FGD access provided to the customer by the Telephone Company.

When the 101XXXX access code is used, FGD also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit for cut-through access to the customer's premises. FGD provides for the dialing of digits 00 for access on a non-DDD basis to the customer's operator when the end user's service is designated to the customer as set forth in 8.5.

In addition to the standard 101XXXX access code, the customer has the option to use 950-XXXX as an access code for FGD Switched Access Service. When the customer orders FGD Switched Access Service with 950-XXXX Access as described in 6.3.2(AB), FGD switched access calls may also be originated by using the customer's 950-XXXX access code(s). All such calls will be rated as FGD switched access calls.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.4 Feature Group D (FGD) (Cont'd)

(A) Description (Cont'd)

- (7) Operator Transfer Service (forwarding of 0- calls) and Inward Operator Assistance Services (Busy Line Verification, Interrupt, and Operator Assistance) may be provided with FGD Switched Access Service at Telephone Company designated Operator Service switching locations. Operator Services are provided as set forth in Section 16 following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.4 Feature Group D (FGD) (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI)
 - (b) Service Class Routing
 - (c) Alternate Traffic Routing
 - (d) Call Gapping Arrangement
 - (e) Trunk Access Limitation
 - (f) International Carrier Option
 - (g) Non-Overlap Outpulsing
 - (h) Cut-Through
 - (i) Switched Access Interface
 - (j) Switched Data Service
 - (k) SS7 Out of Band Signaling
 - (l) Tandem Switch Signaling
 - (m) FGD With 950 Access
 - (2) Transport Termination Optional Features
 - (a) Operator Trunk, Full Feature Arrangement
 - (3) Local Transport Optional Features
 - (a) Supervisory Signaling as set forth in 6.3.1.
- (C) Transmission Specifications

FGD is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to a Telephone Company access tandem only Type A is provided.
- Type A is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2 through 10.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.4 Feature Group D (FGD) (Cont'd)
- (C) Transmission Specifications (Cont'd)

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer's premises and the end office when directly routed to the end office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.5 Basic Serving Arrangement A (BSA-A)

(A) Description

- (1) BSA-A is provided via a line side connection at Telephone Company electronic and electromechanical end office switches with an associated seven digit telephone number for the customer's use in originating communications to or terminating communications from an Interexchange Carrier's Interstate Service or a customer provided interstate communications capability. At the option of the customer, BSA-A is provided on a single or multiple line group basis and is arranged for originating calling only, terminating calling only, or two-way calling.
- (2) BSA-A provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the customer. BSA-A may also be provided with certain Basic Service Elements (BSEs) as shown in 6.2.14.
- (3) The Telephone Company shall select the first point of switching, within the selected BSA-A Access Area, at which the line side connection is to be provided unless the customer requests a different first point of switching and Telephone Company facilities and measurement capabilities, where necessary, are available to accommodate such a request.
- (4) A seven digit local telephone number assigned by the Telephone Company is provided for access to BSA-A switching in the originating direction. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.5 Basic Serving Arrangement A (BSA-A) (Cont'd)

(A) Description (Cont'd)

- (4) (Cont'd)

If the customer requests a specific seven digit telephone number that is not currently assigned, and the Telephone Company can, with reasonable effort, comply with that request, the requested number will be assigned to the customer.

- (5) BSA-A, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction BSA-A may, at the option of the customer, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When BSA-A is provided in a Hunt Group or Uniform Call Distribution Arrangement as discussed in 6.2.14, all BSA-A will be arranged for the same type of address signaling.
- (6) No address signaling is provided by the Telephone Company when BSA-A is used in the originating direction. Address signaling in such cases, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (7) BSA-A when used in the terminating direction, may be used to access the Telephone Company specified set of valid NXXs within the BSA-A Access Area.

For BSA-A, the Access Area is defined as the local exchange calling area of the end office switch from which the BSA-A service is provided as set forth in the Telephone Company's local or general exchange service tariff.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.5 Basic Serving Arrangement A (BSA-A) (Cont'd)
- (A) Description (Cont'd)
- (7) (Cont'd)

At the customer's option, Access is also provided for terminating BSA-A calls, established on a 1+ basis, to NXXs outside the BSA-A Access Area but remaining within the LATA. Switched Access Service rate elements will apply to such traffic as set forth in 6.5.9 following.

Terminating access is also provided to local operator service (0- and 0+), Directory Assistance (411 where available and 555-1212) emergency reporting service (911 where available), exchange telephone repair (611 where available), time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services (by dialing the appropriate digits).

Charges for BSA-A terminating calls requiring operator assistance or calls to 611 or 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the local exchange tariffs, for local operator assistance (0- and 0+) calls, (2) calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services, and (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer.

For calls to Directory Assistance additional non access charges may also be billed at the applicable rates under the Telephone Company local exchange tariffs.

- (8) BSA-A Switched Access Service is available with additional termination (i.e. extensions) of the service at different building(s) in the same or different local calling area. Application of rates for BSA-A extension service is found in 6.5.8 following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.5 Basic Serving Arrangement A (BSA-A) (Cont'd)(A) Description (Cont'd)

- (9) When a BSA-A switching arrangement for an individual customer (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

(10) Message Unit Credit

Calls from end users to the seven digit local telephone numbers associated with BSA-A Switched Access Service are subject to Telephone Company local and/or general exchange service tariff charges (including message unit and toll charges as applicable). The monthly bills rendered to customers for their BSA-A Switched Access Service will include a credit to reflect any message unit charges billed to their end users under the Telephone Company's local and/or general exchange service tariffs. The credit will apply for recorded originating usage or for assumed originating usage, as appropriate for the BSA-A service provided. When the credit is applied on assumed usage, such credit will not exceed the assumed levels of usage set forth in 6.6 following. No credit will apply for any terminating BSA-A access minutes. The message unit credit for originating access minutes will be based on the generally applicable message unit charges of the Telephone Company. All applicable message unit credits will be developed on an exchange specific basis only.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.5 Basic Serving Arrangement A (BSA-A) (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Call Denial
 - (b) Service Code Denial
 - (c) Switched Access Interface
 - (2) Transport Termination Optional Features
 - (a) Two-way operation with dial pulse address signaling and loop start supervisory signaling
 - (b) Two-way operation with dial pulse address signaling and ground start supervisory signaling
 - (c) Two-way operation with dual tone multifrequency address signaling and loop start supervisory signaling
 - (d) Two-way operation with dual tone multifrequency address signaling and ground start supervisory signaling
 - (e) Terminating operation with dial pulse address signaling and loop start supervisory signaling
 - (f) Terminating operation with dial pulse address signaling and ground start supervisory signaling
 - (g) Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling
 - (h) Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling
 - (i) Originating operation with loop start supervisory signaling
 - (j) Originating operation with ground start supervisory signaling.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.5 Basic Serving Arrangement A (BSA-A) (Cont'd)

(B) Optional Features (Cont'd)

(3) Local Transport Optional Features

- (a) Supervisory Signaling
- (b) Customer Specified Entry Switch Receive Level

(4) Local Features

Certain other features which may be available in connection with BSA-A are provided under the Telephone Company's local and/or general exchange service tariffs.

- (a) These are:
- (b) Speed Calling
- (c) Remote Call Forwarding
- (d) Bill Number Screening
intraLATA extensions

(C) Transmission Specifications

BSA-A is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the first point of switching. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with BSA-A to the first point of switching. BSA-A Interface Groups and Codes are described further in 9 following. BSA-A Transmission specifications are described further in 9 following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.6 Basic Serving Arrangement B (BSA-B) (Cont'd)

(A) Description

- (1) BSA-B provides trunk side access to Telephone Company end office switches with an associated uniform access code for the customer's use in originating communications to and terminating communications from an Interexchange Carrier's Interstate Service or a customer - provided interstate communications capability. BSA-B is provided by the Telephone Company directly to appropriately equipped Telephone Company electronic end offices or via Telephone Company designated electronic access tandems which provides access to Telephone Company electronic and electromechanical end offices within that Telephone Company Access Tandem Network.
- (2) BSA-B is provided as trunk side switching through the use of end office or Telephone Company access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling. BSA-B may also be provided with certain Basic Service Elements (BSEs) as shown in 6.2.14.
- (3) BSA-B switching is provided with multifrequency address signaling in both the originating and terminating directions. If the customer orders and Automatic Number Identification (ANI) Arrangement, as shown in 6.2.14, or rotary dial station signaling arrangements as set forth in 6.3, any other address signaling in the originating direction, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (4) The access code for BSA-B switching is a uniform access code in the form of 950-XXXX or 1+950-XXXX for carriers. One uniform access code will be assigned to the customer for the customer's domestic communications and another will be assigned to the customer for its international communications, if required. These uniform access codes will be the assigned access numbers of all BSA-B switched access service provided to the customer by the Telephone Company.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.6 Basic Serving Arrangement B (BSA-B) (Cont'd)

(A) Description (Cont'd)

- (5) BSA-B switching, when used in the terminating direction, may be used to access valid NXXs in the BSA-B Access Area. When directly routed to an end office, the Access Area for BSA-B includes only those valid NXX codes served by that end office. When routed through a Telephone Company access tandem the Access Area for BSA-B service includes only those valid NXX codes served by end offices subtending that Telephone Company access tandem.

Access is also available to time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits).

The customer will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a BSA-B trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer.

Calls in the terminating direction will not be completed to 950-XXXX or 1 + 950-XXXX access codes, local operator assistance (0- and 0+), Directory Assistance (411 and 555-1212), service codes 611 and 911 or 101XXXX access codes. BSA-B may not be switched, in the terminating direction, to Switched Access Basic Serving Arrangements BSA-B, BSA-C and BSA-D.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.6 Basic Serving Arrangement B (BSA-B) (Cont'd)

(A) Description (Cont'd)

(6) The Telephone Company will establish a trunk group or groups for the customer at end offices or Telephone Company access tandems where BSA-B is provided. When required by technical limitations, a separate trunk group will be established for each type of BSA-B arrangement provided. Different types of BSA-B or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(7) When all BSA-B is discontinued at an end office and/or in a Access Area, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.6 Basic Serving Arrangement B (BSA-B) (Cont'd)

(B) Optional Features

(1) Common Switching Optional Features

- (a) Up to Seven Digit Outpulsing of Access Digits to Customer
- (b) Switched Access Interface

(2) Transport Termination Optional Features

- (a) Rotary Dial Station Signaling

(3) Local Transport Optional Features

- (a) Customer Specification of Local Transport Termination
- (b) Supervisory Signaling
- (c) Customer Specified Entry Switch Receive Level

(4) Local Features

Another feature, Bill Number Screening, which may be available in connection with BSA-B, is provided under the Telephone Company's local and/or general exchange service tariffs.

(C) Transmission Specifications

BSA-B is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via a Telephone Company access tandem. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2 through 10. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.7 Basic Serving Arrangement C (BSA-C)(A) Description

- (1) BSA-C, available to AT&T only, is provided at all Telephone Company end offices on a direct trunk basis or via Telephone Company designated access tandems for AT&T's use in originating and terminating communications. BSA-C is provided to AT&T at an end office unless BSA-D is provided in the same end office. When BSA-D is available, BSA-C will not be provided.
- (2) BSA-C is provided as trunk side switching through the use of end offices or Telephone Company access tandems. The switch trunk equipment is provided with answer and disconnect supervisory signaling. Wink start start-pulsing signals are provided in all offices where available. In those offices where wink start start-pulsing signals are not available, delay dial start-pulsing signals will be provided, unless immediate dial pulse signaling is provided, in which case no start-pulsing signals are provided. BSA-C may also be provided with certain Basic Service elements (BSEs) as shown in 6.2.14.
- (3) BSA-C is provided with multifrequency address signaling except in certain electromechanical end offices where multifrequency signaling is not available. In such end offices, the address signaling will be dial pulse, revertive pulse, immediate dial pulse or panel call indicator signaling, whichever is available. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such called party number signals will be subject to the ordinary transmission capabilities of the Local Transport provided.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.7 Basic Serving Arrangement C (BSA-C) (Cont'd)(A) Description (Cont'd)

- (4) No access code is required for BSA-C. The telephone number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is NXX-XXXX, 0 or 1+ NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN.
- (5) BSA-C when used in the terminating direction, may be used to access valid NXXs in the BSA-C Access Area. When directly routed to an end office the BSA-C Access Area includes only those valid NXX codes served by that office. When routed through a Telephone Company access tandem, the BSA-C Access Area includes only those valid NXX codes served by offices subtending that Telephone Company access tandem.

Access is also available to time or weather announcement services of the Telephone Company, community information services of an information provider, and other customers' services (by dialing the appropriate codes) when the services can be reached using valid NXX codes.

Where measurement capabilities exist, the customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Services. Additionally, non-access charges will also be billed for calls from a BSA-C trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX or 1+950-XXXX access codes, local operator assistance (0- and 0+), Directory Assistance service codes 611 and 911, and 101XXXX access codes. BSA-C may not be switched, in the terminating direction, to Switched Access Basic Serving Arrangements BSA-B, BSA-C or BSA-D.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.7 Basic Serving Arrangement C (BSA-C) (Cont'd)

(A) Description (Cont'd)

- (6) The Telephone Company will establish a trunk group or groups for the customer at end offices or Telephone Company access tandem where BSA-C is provided. When required by technical limitations, a separate trunk group will be established for each type of BSA-C provided. Different types of BSA-C or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.
- (7) Operator Transfer Service (forwarding of 0- calls) and Inward Operator Assistance Services (Busy Line Verification, Interrupt, and Operator Assistance) may be provided with BSA-C Switched Access Service at Telephone Company designated Operator Service switching locations. Operator Services are provided as set forth in Section 16.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.7 Basic Serving Arrangement C (BSA-C) (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Service Class Routing
 - (b) Dial Pulse Address Signaling
 - (c) Revertive Pulse Address Signaling
 - (d) Delay Dial Start-Pulsing Signaling
 - (e) Immediate Dial Pulse Address Signaling
 - (f) Panel Call Indicator Address Signaling
 - (g) Trunk Access Limitation
 - (h) Switched Access Interface

- (2) Transport Termination Optional Features

Operator Trunks - i.e., Coin, Non-Coin and Combined Coin and Non-Coin. (Non-Coin Trunks are provided at Telephone Company electronic and electromechanical end offices. Coin and Combined Coin and Non-Coin are provided only at Telephone Company electronic end offices and other Telephone Company end offices where equipment is available).

- (3) Local Transport Optional Features

Supervisory Signaling [as set forth in 6.3.1(A)].

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.7 Basic Serving Arrangement C (BSA-C) (Cont'd)
- (C) Transmission Specifications

BSA-C is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to a Telephone Company access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to a Telephone Company access tandem.

Type DB Data Transmission Parameters are provided with BSA-C for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office when routed via a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.8 Basic Serving Arrangement D (BSA-D)(A) Description

- (1) BSA-D is provided at Telephone Company designated end offices whether routed directly or via Telephone Company designated access tandems. The Telephone Company will designate the First Point(s) of Switching for BSA-D services where the Telephone Company elects to aggregate traffic at a central location. Those Telephone Companies providing BSA-D in a centralized Telephone Company equal access tandem arrangement are listed in 15.2.
- (2) BSA-D is provided as trunk side switching through the use of end office or Telephone Company access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling except for BSA-D provided with SS7 Out of Band Signaling. BSA-D may also be provided with certain Basic Service Elements (BSEs) as shown in 6.2.14.
- (3) BSA-D is provided with multifrequency address signaling or SS7 Out of Band Signaling. BSA-D with SS7 Out of Band Signaling is provided at suitably equipped Telephone Company end offices or Telephone Company access tandems. Up to 12 digits of the called party number dialed by the customer's end user using dual tone multifrequency or dial pulse address signals will be provided by Telephone Company equipment to the customer's premises where the Switched Access Service terminates. Such address signals will be subject to the ordinary transmission capabilities of the Local Transport provided.
- (4) BSA-D, when used in the terminating direction, may be used to access valid NXXs in the BSA-D Access Area. When directly routed to an end office the BSA-D Access Area includes only those valid NXX codes served by that office. When routed through a Telephone Company access tandem the BSA-D Access Area includes only those valid NXX codes served by equal access end offices in the Telephone Company access tandem network.

Access is also available to time or weather announcement services of the Telephone Company, community information service of an information service provider, and other customers' services (by dialing the appropriate codes) when such services can be reached using valid NXX codes.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.8 Basic Serving Arrangement D (BSA-D) (Cont'd)(A) Description (Cont'd)

(5) The Telephone Company will establish a trunk group or groups for the customer at the First Point(s) of Switching where BSA-D is provided. When required by technical limitations, a separate trunk group will be established for each type of BSA-D arrangement provided. Different types of BSA-D or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(6) No access code is required for calls to a customer over BSA-D Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in 8.5. Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP, a seven to twelve digit number may be dialed. The form of the number dialed by the customer's end user is NXX-XXXX, 0 or 1 + NXX-XXXX, NPA + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01 + CC + NN or 011 + CC + NN.

The access code for BSA-D is a uniform access code of the form 101XXXX. Technical limitations in certain end offices subtending a centralized Telephone Company equal access tandem will preclude the availability of a 101XXXX access code. These offices are identified in the National Exchange Carrier Association Tariff F.C.C. No. 4. A single access code will be the assigned number of all BSA-D access provided to the customer by the Telephone Company.

When the 101XXXX access code is used, BSA-D also provides for dialing the digit 0 for access to the customer's operator, 911 for access to the Telephone Company's emergency reporting service, or the end-of-dialing digit for cut-through access to the customer's premises. BSA-D provides for the dialing of digits 00 for access on a non-DDD basis to the customer's operator when the end user's service is designated to the customer as set forth in 8.5.

In addition to the standard 101XXXX access code, the customer has the option to use 950-XXXX as an access code for BSA-D Switched Access Service. When the customer orders BSA-D Service with 950-XXXX Access as described in 6.3.2(AB), BSA-D switched access calls may also be originated by using the customer's 950-XXXX access code(s). All such calls will be rated as BSA-D switched access calls.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.8 Basic Serving Arrangement D (BSA-D) (Cont'd)

(A) Description (Cont'd)

- (7) Operator Transfer Service (forwarding of 0- calls) and Inward Operator Assistance Services (Busy Line Verification, Interrupt, and Operator Assistance) may be provided with BSA-D Switched Access Service at Telephone Company designated Operator Service switching locations. Operator Services are provided as set forth in Section 16 following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.8 Basic Serving Arrangement D (BSA-D) (Cont'd)
- (B) Optional Features
- (1) Common Switching Optional Features
- (a) Service Class Routing
 - (b) Call Gapping Arrangement
 - (c) Trunk Access Limitation
 - (d) International Carrier Option
 - (e) Non-Overlap Outpulsing
 - (f) Cut-Through
 - (g) Switched Access Interface
 - (h) Switched Data Service
 - (i) SS7 Out of Band Signaling
 - (j) Tandem Switch Signaling
 - (k) BSA-D With 950 Access

(2) Transport Termination Optional Features

- (a) Operator Trunk, Full Feature Arrangement

(3) Local Transport Optional Features

- (a) Supervisory Signaling [as set forth in 6.3.1.

(C) Transmission Specifications

BSA-D is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to a Telephone Company access tandem only Type A is provided.
- Type A is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2 through 10.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.8 Basic Serving Arrangement D (BSA-D) (Cont'd)
- (C) Transmission Specifications (Cont'd)

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office. Type DB Data Transmission Parameters are provided with BSA-D for the transmission path between the customer's premises and the end office when directly routed to the end office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.9 Dedicated Network Access Link (DNAL)

The DNAL provides a connection between the customer designated location and the Telephone Company End Office that provides the BSA-A dial tone for connection to equipment that is not part of the end office switch but that is used to provide the Simplified Message Desk Interface (SMDI) BSE. The DNAL is only available for use in conjunction with the SMDI BSE.

DNAL service is either a two-wire or four-wire channel which is capable of transmitting signals within the frequency bandwidth of approximately 300 to 3000 HZ.

There are two rate elements which apply to DNALs. The entrance facility, which provides the transmission path and interface between the Telephone Company's serving wire center and the customer provided facilities at the point of termination at the CDL. If the serving wire center is not the BSA-A dial tone office, then Direct-Trunked Transport will also apply for the mileage between the serving wire center and the BSA-A dial tone office.

The rates and charges for two-wire and four-wire voiceband Entrance Facilities and Direct-Trunked Transport Facility-Voiceband apply for the DNAL Entrance Facility and DNAL Direct-Trunked Transport, respectively.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.10 800/877/888 Access Service

(A) Description

- (1) 800/877/888 Access Service provides for the forwarding of end user dialed 800-NXX-XXXX, 877-NXX-XXXX or 888-NXX-XXXX calls to a customer via a Telephone Company designated switch capable of performing a customer identification function. The 800/877/888 Access Service customer identification function utilizes 800/877/888 Data Base Query Service, as described in 6.2.10(D), to screen all ten digits of all 800-NXX-XXXX, 877-NXX-XXXX or 888-NXX-XXXX type calls generated by end users to determine the customer to which the 800/877/888 call is routed by the Telephone Company.

The 800/877/888 Access Service customer identification function will be available at suitably equipped end offices or Telephone Company access tandems. Once customer identification has been established, the call will be routed to the customer. 800/877/888 Access Service may be provided via 800/877/888 Access Service switched trunk groups or in conjunction with a customer's FGC or FGD Switched Access Service. 800/877/888 Access Service may also be provided in conjunction with BSA-C and BSA-D as shown in 6.2.7 and 6.2.8.

- (2) 800/877/888 Access Service is an originating trunk side switched service that is available to the customer via 800/877/888 Access Service trunk(s) at Telephone Company designated switches capable of performing the 800/877/888 Access Service customer identification function. If the customer's 800/877/888 Access traffic originates from an end office switch not equipped to perform the 800/877/888 Access Service customer identification function, the call will be routed to the nearest office at which the function is available. Once customer identification has been established, the call will be routed to the customer.

Unless prohibited by technical limitations, the customer's 800/877/888 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's FGC, FGD, BSA-C or BSA-D Access Service traffic. When required by technical limitations a separate trunk group must be established for 800/877/888 Access Service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.10 800/877/888 Access Service (Cont'd)

(A) Description (Cont'd)

- (3) 800/877/888 Access Service is provided as trunk side switching through the use of end offices or Telephone Company access tandems. 800/877/888 Access Service originating from equal access end offices with the 800/877/888 Access Service customer identification function will be provided using Feature Group D signaling as set forth in 6.2.4 (A)(2) and (3) or BSA-D signaling as set forth in 6.2.8(A)(2) and (3). When Feature Group D signaling is provided, ANI will be provided in the same manner in which ANI is provided for Feature Group D as set forth in 6.3.2 (F). When BSA-D signaling is provided, at the option of the customer, ANI may be provided as set forth in 6.2.14.

800/877/888 Access Service originating from end offices not having equal access capabilities will be provided using Feature Group C signaling as set forth in 6.2.3 (A)(2) and (3) or BSA-C signaling as set forth in 6.2.7(A)(2) and (3). When Feature Group C signaling is provided, ANI will be provided in the same manner in which ANI is provided for Feature Group C as set forth in 6.3.2 (F). When BSA-C signaling is provided, at the option of the customer, ANI may be provided as set forth in 6.2.14.

- (4) The Federal Communications Commission (FCC) has concluded that warehousing, which the FCC defines as Responsible Organizations, either directly or indirectly through an affiliate reserving toll free numbers from the SMS database without having an identified toll free subscriber from whom those numbers are being reserved, is an unreasonable practice under Section 201(b) of the Communications Act and is inconsistent with the Commission's obligation under Section 251(e) of the Communications Act to ensure that numbers are made available on an equitable basis; and (2) if a Responsible Organization does not have an identified, billed toll free subscriber before switching a number from reserved or assigned to working status, then there is a rebuttable presumption that the Responsible Organization is warehousing numbers. Responsible Organizations that warehouse numbers will be subject to penalties.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.10 800/877/888 Access Service (Cont'd)

(A) Description (Cont'd)

- (5) The Federal Communications Commission (FCC) has concluded that hoarding, defined as the acquisition of more toll free numbers than one intends to use for the provision of toll free service, as well as the sale of a toll free number by a private entity for a fee, is contrary to the public interest in the conservation of the scarce toll free number resource and contrary to the FCC's responsibility to promote the orderly use and allocation of toll free numbers.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.10 800/877/888 Access Service (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI)
 - (b) Dial Pulse Address Signaling
 - (c) Revertive Pulse Address Signaling
 - (d) Delay Dial Start-Pulsing Signaling
 - (e) Immediate Dial Pulse Address Signaling
 - (f) Panel Call Indicator Address Signaling
 - (g) Alternate Traffic Routing
 - (h) SS7 Out of Band Signaling
 - (2) Local Transport Optional Features
 - (a) Supervisory Signaling
- (C) Transmission Specifications
 - (1) Non-Converted End Offices

In end offices that have not been converted to equal access, 800/877/888 Access Service is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to a Telephone Company access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.10 800/877/888 Access Service (Cont'd)
- (C) Transmission Specifications (Cont'd)
 - (1) Non Converted End Offices (Cont'd)

Type DB Data Transmission Parameters are provided with 800/877/888 Access Service for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office when routed via a Telephone Company access tandem.

- (2) Equal Access End Offices

In end offices converted to equal access, 800/877/888 Access Service is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to a Telephone Company access tandem only Type A is provided.
- Type A is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission specifications are provided with Interface Group I. Type A and Type B Transmission Specifications are provided with interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office. Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the end office when directly routed to the end office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.10 800/877/888 Access Service (Cont'd)
- (D) 800/877/888 Data Base Query Service
- (1) 800/877/888 Data Base Query Service, offered in conjunction with 800/877/888 Access Service, performs the 800/877/888 customer identification function, as described in 6.2.5(A)(1), to determine the customer to whom 800/877/888 calls must be routed. For all 1+800-NXX-XXXX, 1+877-NXX-XXXX, or 1+888-NXX-XXXX calls, originated by an end user, the Telephone Company will perform the customer identification function using a Telephone Company 800/877/888 Data Base to screen the dialed ten digits of the 800/877/888 call to determine the customer selected by the 800/877/888 subscriber to carry that 800/877/888 call. If the 800/877/888 call originates from an end office not equipped to provide the customer identification function, the call will be routed to a Telephone Company access tandem equipped to provide the customer identification function. Once customer identification has been established through 800/877/888 Data Base Query Service, the 800/877/888 call will be routed to the selected customer for completion.
- (2) Basic 800/877/888 Data Base Queries provide instructions to route 1+800-NXX-XXXX, 1+877-NXX-XXXX or 1+888-NXX-XXXX calls on a simple call turn around basis to one particular customer or to different customers based on the LATA in which the 800/877/888 call originates.
- (3) Premium 800/877/888 Data Base Queries provide instructions to route 1+800-NXX-XXXX, 877-NXX-XXXX or 888-NXX-XXXX calls to:
- (a) Different customers based on time of day, day of week, or based on number of calls allocated by 800/877/888 subscriber selected percentages.
- (b) Different terminating locations based on time of day, day of week, or based on number of calls allocated by 800/877/888 subscriber selected percentages.
- (c) Standard seven digit local exchange telephone numbers at the terminating end based on the 800/877/888 subscriber's specific requirements.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.10 800/877/888 Access Service (Cont'd)
- (D) 800/877/888 Data Base Query Service (Cont'd)

The 800/877/888 subscriber is responsible for arranging the entry of the various routing instructions discussed herein into the Number Administration Service Center's (NASC's) Service Management System (SMS).

Rate regulations and charges applicable to 800/877/888 Data Base Query Service appear in 6.5.3(C) and 6.6.

6.2.11 900 Access Service(A) Description

- (1) 900 Access Service is an originating trunk side service that provides for the forwarding of end user dialed 900-NXX-XXXX calls to a customer via a Telephone Company designated switch capable of performing a customer identification function. The customer identification function determines the customer to which the 900 call is routed by the Telephone Company.

The customer identification function will be available at suitably equipped end offices or Telephone Company access tandems. Once customer identification has been established, the call will be routed to the customer. 900 Access Service may be provided via 900 Access Service switched trunk groups or in conjunction with a customer's FGC, FGD, BSA-C or BSA-D Switched Access Service.

- (2) If the customer's 900 Access traffic originates from an end office not equipped to perform the customer identification function, the call will be routed to the nearest office at which the function is available. Once customer identification has been established, the call will be routed to the customer.

Unless prohibited by technical limitations, the customer's 900 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement as the customer's FGC, FGD, BSA-C or BSA-D Access Service traffic. When required by technical limitations a separate trunk group must be established for 900 Access Service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.11 900 Access Service (Cont'd)

(A) Description (Cont'd)

- (3) 900 Access Service is provided as trunk side switching through the use of end offices or Telephone Company access tandems. 900 Access Service originating from equal access end offices with the customer identification function will be provided using Feature Group D signaling as set forth in 6.2.4 (A)(2) and (3) or BSA-D signaling as set forth in 6.2.8(A)(2) and (3). When Feature Group D signaling is provided, ANI will be provided in the same manner in which ANI is provided for Feature Group D as set forth in 6.3.2 (F). When BSA-D signaling is provided, ANI may be provided in the same manner in which ANI is provided for BSA-D as set forth in 6.2.14.

900 Access Service originating from end offices not having equal access capabilities will be provided using Feature Group C signaling as set forth in 6.2.3(A)(2) and (3) or BSA-C signaling as set forth in 6.2.7(A)(2) and (3). When Feature Group C signaling is provided, ANI will be provided in the same manner in which ANI is provided for Feature Group C as set forth in 6.3.2 (F). When BSA-C signaling is provided, ANI may be provided in the same manner in which ANI is provided for BSA-C as set forth in 6.2.14.

In cases where 900 Access Service will be used for mass calling events, the customer is required to provide notice of the event to the Telephone Company. Notification must be provided at least two business days prior to the event. As a result of such notification, the Telephone Company may implement protective controls to ensure acceptable service levels.

Failure to notify the Telephone Company of such events may subject the 900 Access Service to discontinuance as specified in Section 2.2.1.

Calls to a 900 number dialed via 1+ from coin telephones, 101XXXX, Inmate Service and Hotel/Motel Service will be blocked. Calls to a 900 number dialed via 0+ or 0- will be blocked. Calls to a 900 number dialed via 0+ from end offices converted to equal access will be unblocked if an ASR requesting unblocking is submitted to the Telephone Company by the customer.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.11 900 Access Service (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI)
 - (b) Dial Pulse Address Signaling
 - (c) Revertive Pulse Address Signaling
 - (d) Delay Dial Start-Pulsing Signaling
 - (e) Immediate Dial Pulse Address Signaling
 - (f) Panel Call Indicator Address Signaling
 - (g) Alternate Traffic Routing
 - (h) SS7 Out of Band Signaling
 - (i) Customer Identification Function
 - (j) Tandem Switch Signaling
 - (2) Local Transport Optional Features
 - (a) Supervisory Signaling
- (C) Transmission Specifications
 - (1) Non-Converted End Offices

In end offices that have not been converted to equal access, 900 Access Service is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to a Telephone Company access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.11 900 Access Service (Cont'd)
- (C) Transmission Specifications (Cont'd)
 - (1) Non Converted End Offices (Cont'd)

Type DB Data Transmission Parameters are provided with 900 Access Service for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office when routed via a Telephone Company access tandem.

- (2) Equal Access End Offices

In end offices converted to equal access, 900 Access Service is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to a Telephone Company access tandem only Type A is provided.
- Type A is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office. Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the end office when directly routed to the end office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002


Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.12 Common Channel Signaling System 7 Access Service
- (A) Description

Common Channel Signaling System 7 (CCS7) Access service provides an interconnection between the Common Channel Signaling (CCS) network of the Telephone Company and a customer's CCS network or SS7 capable voice/data network using Dedicated Switched Access facilities and Signal Transfer Point (STP) Ports. CCS7 Access service provides the connection between the Telephone Company's STP and the customer's premises to allow customers to access Telephone Company provided services requiring CCS7 connectivity. CCS7 Access service provides for the transmission of network control and other signaling information from the Telephone Company's STP, via the STP Port and Dedicated Switched Access facilities, to the customer's premises. The technical interface specifications are as described in Bellcore Technical Reference Publication TR-TSV-000905. The location of the Telephone Company's STP switches are indicated in (D) following and in NECA Tariff FCC No. 4.

CCS7 Access Service may interconnect a customer's paired STPs to the Telephone Company's mated STP pairs. With this arrangement, the customer is connected to two STPs and four STP Ports via four Dedicated Switched Access facilities. The following diagram depicts a generic view of this arrangement.



----- Dedicated Switched Access Facility


(This page filed under Transmittal No. 26.)

ACCESS SERVICE

6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.12 Common Channel Signaling System 7 Access Service (Cont'd)
- (A) Description (Cont'd)

CCS7 Access service may also interconnect a Customer Signaling Point or Service Switching Point to the mated STP pairs at the locations specified. With this arrangement, the customer is connected to two STPs and two STP Ports via two Dedicated Switched Access facilities.

The following diagram depicts a generic view of this arrangement.



- (B) Dedicated Switched Access

Dedicated Switched Access provides a dedicated transmission path to connect a customer's premises to the Telephone Company's Signal Transfer Point (STP). This service is provided in 56 Kbps digital or DS1 formats only. The 56 Kbps format provides connection to one port at the STP and the DS1 format provides an equivalence of 24, 56 Kbps facilities for connection of up to 24 ports at the STP. Dedicated Switched Access has two rate elements: Dedicated Switched Access Line (DSAL) and Dedicated Switched Access Transport (DSAT).

(This page filed under Transmittal No. 26.)

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.12 Common Channel Signaling System 7 Access Service (Cont'd)

(B) Dedicated Switched Access (Cont'd)

(1) The DSAL rate element provides the transmission path between a customer's premises and its serving wire center. A 56 Kbps or DS1 interface is provided at the customer's premises as part of the DSAL. The 56 Kbps interface provides for the simultaneous two-way transmission of sequential bipolar data signals at a transmission speed of 56 Kbps over four-wire facilities. The DS1 interface provides for the simultaneous two-way transmission of sequential data signals at a transmission speed of 1.544 Mbps. This rate element is not distance nor usage sensitive.

(2) The DSAT rate element provides the transmission path between the serving wire center of the customer's premises and the STP. This rate element is distance sensitive on a per airline mile basis, but is not usage sensitive. Where the serving wire center of the customer's premises and the STP location are the same, the DSAT rate element does not apply. Airline miles will be calculated using the V&H coordinates method outlined in NECA Tariff FCC No. 4 between the customer's serving wire center and the STP.

(C) STP Port Termination

The STP Port Termination provides the means to terminate the Dedicated Switched Access facility at the STP. One STP Port Termination is required for each 56 Kbps or 56 Kbps equivalent facility.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.13 500 Access Service

(A) Description

- (1) 500 Access Service is an originating trunk side service that provides for the forwarding of end user dialed 500-NXX-XXXX calls to a customer via a Telephone Company designated switch capable of performing a customer identification function. The customer identification function determines the customer to which the 500 call is routed by the Telephone Company.

The customer identification function will be available at suitably equipped end office or Telephone Company access tandem switches. Once customer identification has been established, the call will be routed to the customer. 500 Access Service may be provided via 500 Access Service switched trunk groups or in conjunction with a customer's FGC, FGD, BSA-C or BSA-D Switched Access Service.

- (2) If the customer's 500 Access traffic originates from an end office switch not equipped to perform the customer identification function, the call will be routed to the nearest office at which the function is available. Once customer identification has been established, the call will be routed to the customer.

Unless prohibited by technical limitations, the customer's 500 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement as the customer's FGC, FGD, BSA-C or BSA-D Access Service traffic. When required by technical limitations a separate trunk group must be established for 500 Access Service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.13 500 Access Service (Cont'd)

(A) Description (Cont'd)

- (3) 500 Access Service is provided as trunk side switching through the use of end office or Telephone Company access tandem switch trunk equipment. 500 Access Service originating from equal access end offices with the customer identification function will be provided using Feature Group D signaling as set forth in 6.2.4 (A)(2) and (3) or BSA-D signaling as set forth in 6.2.8(A)(2) and (3). When Feature Group D signaling is provided, ANI will be provided in the same manner in which ANI is provided for Feature Group D as set forth in 6.3.2 (F). When BSA-D signaling is provided, ANI may be provided in the same manner in which ANI is provided for BSA-D as set forth in 6.2.14.

500 Access Service originating from end offices not having equal access capabilities will be provided using Feature Group C signaling as set forth in 6.2.3(A)(2) and (3) or BSA-C signaling as set forth in 6.2.7(A)(2) and (3). When Feature Group C signaling is provided, ANI will be provided in the same manner in which ANI is provided for Feature Group C as set forth in 6.3.2 (F). When BSA-C signaling is provided, ANI may be provided in the same manner in which ANI is provided for BSA-C as set forth in 6.2.14.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.13 500 Access Service (Cont'd)
- (B) Optional Features
 - (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI)
 - (b) Dial Pulse Address Signaling
 - (c) Revertive Pulse Address Signaling
 - (d) Delay Dial Start-Pulsing Signaling
 - (e) Immediate Dial Pulse Address Signaling
 - (f) Panel Call Indicator Address Signaling
 - (g) Alternate Traffic Routing
 - (h) SS7 Out of Band Signaling
 - (i) Customer Identification Function
 - (j) Tandem Switch Signaling
 - (2) Local Transport Optional Features
 - (a) Supervisory Signaling
- (C) Transmission Specifications
 - (1) Non-Converted End Offices

In end offices that have not been converted to equal access, 500 Access Service is provided with either Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or Type C is provided.
- When routed to a Telephone Company access tandem only Type B is provided.
- Type B or Type C is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1 when routed directly to an end office. Type B is provided with Interface Groups 2 through 10, whether routed directly to an end office or to a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.13 500 Access Service (Cont'd)
- (C) Transmission Specifications (Cont'd)
 - (1) Non Converted End Offices (Cont'd)

Type DB Data Transmission Parameters are provided with 500 Access Service for the transmission path between the customer's premises and the end office when directly routed to the end office, and Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and a Telephone Company access tandem and between the Telephone Company access tandem and the end office when routed via a access tandem.

- (2) Equal Access End Offices

In end offices converted to equal access, 500 Access Service is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to a Telephone Company access tandem only Type A is provided.
- Type A is provided on the transmission path from the Telephone Company access tandem to the end office.

Type C Transmission specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2 through 10.

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the Telephone Company access tandem and between the Telephone Company access tandem and the end office. Type DB Data Transmission Parameters are provided for the transmission path between the customer's premises and the end office when directly routed to the end office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.14 Basic Service Elements

The following Basic Service Elements (BSEs) are chargeable unbundled service options available only with Basic Serving Arrangements. The Telephone Company makes no guarantee that these BSE's will be available in all locations. Rate regulations and charges applicable to BSEs appear in 6.5.15 and 6.6.

(A) Alternate Traffic Routing - BSE

This BSE provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) via a trunk group (the "high usage" group) to a CDL until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group or groups (via one or more intermediate high usage groups) to one or more CDLs until the originating traffic is directed to a final group. The customer shall specify the last trunk CCS desired for the high usage group and each intermediate group.

When a BSA-D customer subscribes to TAS (Tandem Access Sectorization) and Alternate Traffic Routing, the "final" trunk group and any intermediate trunk groups carrying additional originating overflowing traffic must terminate at the same CDL as does the "high usage" trunk group.

Alternate Traffic Routing - BSE is provided in suitably equipped end office or access tandem switches and is available with BSA-B, BSA-C, and BSA-D.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.2 Switched Access Service Arrangements (Cont'd)
- 6.2.14 Basic Service Elements (Cont'd)
- (B) Automatic Number Identification (ANI) - BSE

This BSE provides the automatic transmission of a seven or ten digit number and information digit to the CDL for calls originating in the Access Area to identify the calling station. The ANI arrangement will be associated with all individual transmission paths in a trunk group when this arrangement is provided.

These information digits shall only be used for billing and collection, routing, screening, and completion of the originating subscriber's call or transaction or for service directly related to the originating subscriber's call or transaction.

The ANI provided shall not be reused or resold without first notifying the originating telephone subscriber and obtaining affirmative consent of the subscriber for reuse or resale.

Unless the originating subscriber has given consent for the reuse or resale, any information provided shall not be used for any purpose other than:

- performing the services or transactions that are subject of the originating subscriber's call;
- ensuring network performance security, and the effectiveness of call delivery;
- compiling, using and disclosing aggregate information; and,
- complying with applicable laws.

The above restrictions shall not prevent the subscriber to the ANI Arrangement from using information acquired from an ANI Arrangement, such as the telephone number or information derived from analysis of the characteristics of calls received through the ANI Arrangement, to offer a product or service that is directly related to the products or services previously purchased by a customer of the ANI Arrangement subscriber.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.2 Switched Access Service Arrangements (Cont'd)

6.2.14 Basic Service Elements (Cont'd)

(B) Automatic Number Identification (ANI) - BSE (Cont'd)

The seven digit ANI telephone number is available with BSA-B and BSA-C. It will be transmitted on all calls except those identified as a multiparty line or ANI failure. The ten digit ANI telephone number is only available with BSA-D. When BSA-D with SS7 Out of Band Signaling is specified, the customer may order an ANI equivalent by ordering the Charge Number parameter as described in 6.3.2(Z) at the rates for ANI-BSE as shown in 6.6. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as a multiparty line or ANI failure in which case only the NPA will be transmitted (in addition to the information digit described below). The ANI telephone number is the listed telephone number of the end user that originates the call.

With BSA-C, ANI is provided from end offices at which the Telephone Company recording for end user billing is not provided, or where it is not required, as with 800 Service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

- (1) Where ANI cannot be provided (e.g., on calls from 2, in some instances, 4, and 8 party services) information digits will be provided to the customer. The information digits are used in the following situations:

Telephone number is the station billing number - no special treatment is required.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.14 Basic Service Elements (Cont'd)(B) Automatic Number Identification (ANI) - BSE (Cont'd)

- (2) Multiparty line telephone number is a 2, in some instances, 4, or 8 party line and cannot be identified - number must be obtained via an operator or in some other manner.
- (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - number must be obtained by operator or in some other manner.
- (4) The configuration of the line requires special screening or handling by the customer, or
- (5) Call is an Automatic Identified Outward Dialed (AIOD) call from end user terminal equipment.

These ANI information digits are available with BSA-B, BSA-C, and BSA-D only. In addition, the following information digits are available with BSA-D only:

- (a) interLATA Area restricted - telephone number is identified line.
- (b) interLATA Area restricted - line requires special screening or handling by the customer.

These information digits will be transmitted as agreed to by the customer and the Telephone Company.

(C) User Transfer - BSE

This option, available with BSA-A, provides the ability to temporarily hold an established call, originate another call to a third party, and then redirect the first call to the third party. When a call has been transferred, the original line is cleared to place or receive another call.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.14 Basic Service Elements (Cont'd)(D) Hunt Group Arrangement - BSE

This BSE, available only with BSA-A, provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This BSE contemplates one access code (i.e., telephone number) per arrangement. This BSE also provides the ability to sequentially access one of two or more lines in the terminating direction, when the hunting number of the line group is forwarded from the customer to the Telephone Company.

(E) Queuing - BSE

This BSE is available only with BSA-A in conjunction with the Uniform Call Distribution (UCD) BSE and may only be provided in Telephone Company electronic end offices.

When all terminals in a UCD Arrangement are busy, queuing allows for an incoming call to be placed in queue to await an available terminal in the UCD arrangement. When a call is placed in queue, audible ringing is returned to the customer and no further indication is sent until a terminal completes the call. The call that has been in queue the longest will be the first call handled when a terminal becomes available. The maximum number of calls that can be placed in queue is dependent upon the total number of lines in the multiline hunt group. If the incoming call cannot be placed in queue, the calling party will receive a busy tone.

(F) Uniform Call Distribution - BSE

This BSE provides a type of multiline hunting arrangement which evenly distributes calls among the available lines in a hunt group. Where available, this arrangement is provided with originating use for BSA-A and terminating use for Special Access Lines.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.14 Basic Service Elements (Cont'd)(G) Simplified Message Desk Interface (SMDI)

This option provides call-related information for calls utilizing a BSE hunt group arrangement. SMDI provides the capability for delivering the called number, the calling number, and a call forwarding indicator (i.e., call forwarding busy, call forwarding don't answer, or direct call). This information is transmitted to the CDL utilizing a DNAL (Section 6.2.9). In addition, where customer equipment exists, SMDI will allow a customer to activate a message waiting indicator to the called number. The message waiting indicator includes Message Waiting Indication - Audible or Message Waiting Indication - Audible Ring Burst.

The customer shall provide the appropriate Customer Premises Equipment (CPE) to store, display or print the transmitted call status information as well as equipment to activate or deactivate the message waiting indicator. The Telephone Company assumes no liability and will be held harmless for any incompatibility of their CPE to perform satisfactorily with this feature. This BSE, available with DNA, is provided from suitably equipped end offices. The customer is responsible for providing a modem at the CDL which interfaces with the Telephone Company equipment at 1200 baud ASCII.

(H) Caller Identification - Number (ICLID) BSE (USOC - NUB)

This BSE provides the customer with the calling party's directory number at the time the call is received. The calling number is transmitted to the customer during the first silent interval of the ringing cycle. The number is displayed on customer-provided equipment.

Where available, this arrangement is provided with originating BSA-A as a nonchargeable option.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.14 Basic Service Elements (Cont'd)(I) Remote Call Forwarding - BSE

This BSE is a service that utilizes a seven digit Directory Number (DN) to automatically forward all incoming calls to another DN. The forwarded to number can be in the same central office switch or in another central office switch.

The remote call forwarding directory number is not directly associated with an access connection arrangement, but rather is a software translation programmed within the central office switch. All calls dialed to that directory number will forward to another number automatically. The subscriber to this capability does not have a station set for termination of calls made to their remote call forwarding number. Where available, this arrangement is provided with BSA-A and FGA.

(J) Direct Inward Dialing (DID) - BSE

This BSE provides a two or four wire DID termination with line treatment at the first point of switching that permits the Dial Tone Central Office Switch to deliver all or part of the called number to the customer premises at the time the call is established. Multifrequency (MF), Dual Tone Multifrequency (DTMF) or Dial Pulse address signaling is used by the Telephone Company to deliver only the called telephone number to the customer premises. No other address signaling will be delivered to the customer premises. The type of signaling utilized depends on the Dial Tone Office switching equipment available. If additional address signaling is required by the customer, it must be provided by the customer's end user using inband tone address signals which will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Switched Transport provided.

This BSE is only available with new BSA-A arrangements and only in the originating direction. The customer must order a DID Trunk Termination and the first group of 20 DID numbers to be associated with the DID Termination in addition to BSA-A service. Additional groups of 20 DID telephone numbers are available. If the grade of service at the group busy hour of the DID trunk group is less than P.05 for two consecutive months, the customer may be required to subscribe to additional DID Trunk Terminations. The DID optional feature is only available as a stand alone BSE or optional feature, no other BSEs or optional features can be used in conjunction with it.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.2 Switched Access Service Arrangements (Cont'd)6.2.14 Basic Service Elements (Cont'd)(K) Billed Number Screening (BNS) - BSE

This BSE prevents the billing of incoming collect and third number billed calls to a customer's telephone account.

The Telephone Company, upon request of the customer, shall confirm the Billed Number Screening service applied to their account.

Where available, this arrangement is provided with BSA-A and FGA.

(L) Controlink® Digital Channel Service (CLDCS) - BSE

This BSE provides a digital common line connection between the CDL and the local serving wire center. The digital transmission rate available is either DS1 (1.544 Mbps) or DS3 (44.736 Mbps).

Controlink® Digital Channel Service will be used by the customer to aggregate the customer's telecommunication services onto a digital local loop.

This arrangement is provided on an Individual Case Basis (ICB) with BSA-D.

(M) Answer Supervision - BSE

Answer Supervision is the line side functionality that provides an electrical signal to the calling end of a switched telephone connection when the called line goes off-hook. Customer-Owned Pay Telephone (COPT) Answer Supervision will be provided for use with Public Telephone Access Service as specified in the Company's local/general exchange tariff to assist in determining when billing for a specific call should commence.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with Switched Access Services. They are provided as either Local Transport, Common Switching or Transport Termination options.

6.3.1 Local Transport Optional Features(A) Supervisory Signaling

Where the transmission parameters permit, and where signaling conversion is required by the customer to meet its signaling capability, the customer may order an optional supervisory signaling arrangement for each transmission path provided as follows:

- For Interface Groups 1 and 2

DX Supervisory Signaling,
E&M Type I Supervisory Signaling,
E&M Type II Supervisory Signaling, or
E&M Type III Supervisory Signaling

- For Interface Group 2

SF Supervisory Signaling, or
Tandem Supervisory Signaling

- For Interface Groups 6 through 10

At the option of the customer, these Interface Groups may be provided with individual transmission path SF supervisory signaling where such signaling is available in Telephone Company central offices. Generally such signaling is available only where the entry switch provides an analog (i.e., non digital) interface to the transport termination.

These optional supervisory signaling arrangements are not available in conjunction with Signaling System 7 (SS7) Out of Band Signaling.

(B) Customer Specified Entry Switch Receive Level

This feature allows the customer to specify the receive transmission level at the first point of switching. The range of transmission level which may be specified is described in Technical Reference TR-NPL-000334. This feature is available with Interface Groups 2 through 10 for FGA, FGB, BSA-A and BSA-B.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features(A) Call Denial on Line or Hunt Group

This option allows for the screening of terminating Feature Group A and BSA-A calls. The following screening arrangements are available with this option:

- 1) Screening of terminating calls for completion to only 411, 611, 911, 555-1212 all valid NXXs associated with the end offices within the LATA, i.e., the call cannot be further switched or routed out of the LATA.
- 2) Screening of terminating calls within the Feature Group A or BSA-A Access Area for completion to only 411, 611, 911, 800, 888, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided.

All other calls are routed to a reorder tone or recorded announcement. Arrangement 1 is provided where available. Arrangement 2 is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices. These options are available with Feature Group A and BSA-A.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Optional Features (Cont'd)

6.3.2 Common Switching Optional Features (Cont'd)

(B) Service Code Denial on Line or Hunt Group

This option allows for the screening of terminating calls, 0-, 555 and N11 (e.g., 411, 611, and 911). This feature is provided where available in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A and BSA-A.

(C) Hunt Group Arrangement

The Hunt Group Arrangement is available with FGA as a nonchargeable option. This feature is available with BSA-A as a chargeable BSE as specified in 6.2.13 and 6.5.15.

This option provides for:

- the ability to sequentially access one of two or more Feature Group A line side connections in the originating direction, when the access code of the line group is dialed, and
- the ability to sequentially access one of two or more Voice Grade Circuits (e.g., 800, 888 Service Circuits) in the terminating direction, when the hunting number of the line group is forwarded from the customer to the Telephone Company.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(D) Uniform Call Distribution Arrangement

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available for originating use with Feature Group A and for terminating use with Special Access used with a Switched Access Interface. This option is available with BSA-A as a chargeable BSE as shown in 6.2.14 and 6.5.15.

(E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A, BSA-A utilizing Uniform Call Distribution - BSE, and Special Access lines used with a Switched Access Interface.

(F) Automatic Number Identification (ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the Access Area to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and a Telephone Company access tandem, and a trunk group between a Telephone Company access tandem and a customer's premises. When Feature Group D is provided with SS7 Out of Band Signaling, the customer may obtain an ANI equivalent by ordering the Charge Number optional feature as described in 6.3.2(Z).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (F) Automatic Number Identification (ANI) (Cont'd)

These information digits shall only be used for billing and collection, routing, screening, and completion of the originating subscriber's call or transaction or for service directly related to the originating subscriber's call or transaction.

The ANI provided shall not be reused or resold without first notifying the originating telephone subscriber and obtaining affirmative consent of the subscriber for reuse or resale.

Unless the originating subscriber has given consent for the reuse or resale, any information provided shall not be used for any purpose other than:

- performing the services or transactions that are subject of the originating subscriber's call;
- ensuring network performance security, and the effectiveness of call delivery;
- compiling, using and disclosing aggregate information; and,
- complying with applicable laws.

The above restrictions shall not prevent the subscriber to the ANI Arrangement from using information acquired from an ANI Arrangement, such as the telephone number or information derived from analysis of the characteristics of calls received through the ANI Arrangement, to offer a product or service that is directly related to the products or services previously purchased by a customer of the ANI Arrangement subscriber.

The seven digit ANI telephone number is available with Feature Groups B and C. With these Feature Groups, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a directly trunked basis. ANI will be transmitted on all calls except those originating from multiparty lines, coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (F) Automatic Number Identification (ANI) (Cont'd)

The ten digit ANI telephone number is only available with Feature Group D, and where the technical capability exists, Feature Group B. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as multiparty line or ANI failure, in which case only the NPA will be transmitted (in addition to the information digit described below).

For FGD where technical capabilities exist, ANI may be ordered on a class of service (type of call) basis, rather than the trunk group on which the call is routed. Class of service as defined here means: A) Service type; B) Line Class of Service (e.g., Hotel/Motel, Coin); C) Service Access Code (SAC) e.g., 500, 800 or 900; D) Prefix dialed (0+, 0-, 00-, 01+, 011+); or any combination of A through D.

With Feature Group C, ANI is provided from end offices at which Telephone Company recording for end user billing is not provided, or where it is not required, as with 500, 800 or 900 Access Service. It is not provided from end offices for which the Telephone Company needs to forward ANI to its recording equipment.

Where ANI cannot be provided, e.g., on calls from 4 and 8 party services, information digits will be provided to the customer.

The information digits identify: (1) telephone number is the station billing number - no special treatment required, (2) multiparty line - telephone number is a 4 or 8-party line and cannot be identified - number must be obtained via an operator or in some other manner, (3) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (4) hotel/motel originated call which requires room number identification,

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (F) Automatic Number Identification (ANI) (Cont'd)

(5) coinless station, hospital, inmate, etc. call which requires special screening or handling by the customer, and (6) call is an Automatic Identified Outward Dialed (AIOD) call from customer premises equipment. The ANI telephone number is the listed telephone number of the customer and is not the telephone number of the calling party.

These ANI information digits are available with Feature Groups B, C, and D.

Additional ANI information digits are available with Feature Group D only. They include:

- (1) interLATA restricted - telephone number is identified line
- (2) interLATA restricted - hotel/motel line
- (3) interLATA restricted - coinless, hospital, inmate, etc., line

These information digits will be transmitted as agreed to by the customer and the Telephone Company.

The ANI Arrangement is available with BSA-B, BSA-C and BSA-D as a chargeable BSE as specified in 6.2.14 and 6.5.15.

- (G) Up to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-XXXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B and BSA-B.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(H) Revertive Pulse Address Signaling

This option provides for a dc pulsing arrangement that transmits intelligence in the following manner:

- (1) The equipment at the originating location presets itself to represent the number of pulses required and to count the pulses received from the terminating location.
- (2) The equipment at the terminating location transmits a series of pulses by the momentary grounding of its battery supply until the originating location breaks the dc path to indicate that the required number of pulses has been counted.

This option is available with FGC, BSA-C, 800/877/888 Access Service, and 900 Access Service.

(I) Delay Dial Start-Pulsing Signaling

This option provides a method of indicating to the near end trunk circuit readiness to accept address signaling information by the far end trunk circuit. Delay dial is often referred to as an off-hook interval and the start-pulsing signal is the on-hook interval. With integrity check, the calling office will not outpulse until a delay dial (off-hook) signal followed by a start-pulsing (on-hook) signal has been identified at the calling office. This option is available with FGC, BSA-C, 800/877/888 Access Service, and 900 Access Service.

(J) Immediate Dial Pulse Address Signaling

This option provides for the forwarding of dial pulses from the Telephone Company end office to the customer without the need of a start-pulsing signal from the customer. It is available with Feature Group C, BSA-C, 800/877/888 Access Service, and 900 Access Service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(K) Dial Pulse Address Signaling

This trunk side option provides for the transmission of number information, e.g., called number, between the end office switching system and the customer's premises (in either direction) by means of direct current pulses. It is available with FGC, BSA-C, 800/877/888 Access Service, and 900 Access Service.

(L) Panel Call Indicator Address Signaling

This option provides a dc pulsing arrangement in which each digit is transmitted as a series for four marginal and polarized impulses. It is available with FGC, BSA-C, 800/877/888 Access Service, and 900 Access Service.

(M) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin, multiparty or hotel/motel), service prefix indicator (e.g., 0, 0+, 01+ or 011+) or service access code (e.g., 800, 877, 888 or 900). When a customer orders service class routing, it must report the appropriate codes to be instituted in each end office or Telephone Company access tandem switch. Originating 800-NXX-XXXX, 877-NXX-XXXX, or 888-NXX-XXXX calls are routed in accordance with the 800/877/888 customer identification function described in 6.2.5(A)(1). It is provided in suitably equipped end office or Telephone Company access tandem switches and is available with FGC, FGD, BSA-C and BSA-D.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (N) Alternate Traffic Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped Telephone Company access tandem) to a trunk group (the "high usage" group) to a customer designated premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or Telephone Company access tandem to a different trunk group (the "final" group) to a second customer designated premises. The customer shall specify the last trunk CCS desired for the high usage group. It is provided in suitably equipped end offices or Telephone Company access tandems and is available with Feature Groups C, D, 800/877/888 Access Service, and 900 Access Service.

This option is available with BSA-B, BSA-C and BSA-D as specified in 6.2.14 and 6.5.15.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(O) Trunk Access Limitation

This option provides for the routing of originating 900 service calls to a specified number of transmission paths in a trunk group, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which could not be completed over the subset of transmission paths in the trunk group, i.e., the choked calls, would be routed to reorder tone. It is provided in all Telephone Company electronic end offices and where available in electromechanical end offices. The customer must specify the number of trunks to be instituted in each end office or Telephone Company access tandem switch for each arrangement ordered. It is available with FGC, FGD, BSA-C, BSA-D and 900 Access Service.

(P) Call Gapping Arrangement

This option, provided in suitably equipped end office switches, provides for the routing of originating calls to 900 service to be switched in the end office to all transmission paths in a trunk group at a prescribed rate of flow, e.g., one call every five seconds, in order to limit (choke) the completion of such traffic to the customer. Calls to the designated service which are denied access by this feature, i.e., the choked calls, would be routed to a no-circuit announcement. The customer must specify the trunk groups affected and prescribed rate of flow in each end office or Telephone Company access tandem switch for each arrangement ordered. It is provided in selected FGD and BSA-D equipped end offices and is available only with FGD, BSA-D and 900 Access Service.

(Q) International Carrier Option

This option allows for FGD and BSA-D end office(s) or Telephone Company access tandem(s) equipped for International Direct Distance Dialing to be arranged to forward the international calls of one or more international carriers to the customer (i.e., the Telephone Company is able to route originating international calls to a customer other than one designated by the end user either through presubscription or 101XXXX dialing). This arrangement requires provision of written verification to the Telephone Company that the customer is authorized to forward such calls.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(Q) International Carrier Option (Cont'd)

The written verification must be in the form of a letter of agency authorizing the customer to order the option on behalf of the international carrier. This option is only provided at Telephone Company end offices or Telephone Company access tandems equipped for International Direct Distance Dialing. It is available with FGD and BSA-D.

(R) Non-Overlap Outpulsing

This option allows the customer to specify that all dialed digits must be received by the Telephone Company end office before any outpulsing takes place. After all dialed digits are received, the Telephone Company seizes a trunk toward the customer. This option is available with Feature Group D and BSA-D where technically feasible.

(S) Cut-Through

This option allows end users to reach the customer's premises by dialing 101XXXX + #. This option provides for connection of the call to the premises of the customer indicated by the 101XXXX code upon receipt of the end of dialing the # digit. The Telephone Company will not record any other dialed digits for these calls. This option is available with FGD and BSA-D where technically feasible.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (T) Switched Access Interface

This arrangement provides the line switching and supervisory functions necessary to interface Voice Grade Special Access and Switched Access Services together for the provision of customer WATS and WATS-Type service. This service provides a transmission path capable of originating and/or terminating the customer's interstate and combined interstate/intrastate traffic. Combining of intrastate traffic will be provided in accordance with any individual state regulations as outlined in 6.3.2(T)(5).

This arrangement is only available from Telephone Company designated end offices which are identified as WATS Serving Offices (WSO) in NECA Tariff FCC No. 4. Technical limitations resident in certain end office switches may preclude the availability of certain Switched Access Interface features. Depending on the configuration selected below, the Telephone Company will provide such services from the closest WSO that is technically equipped to provide such services. Special Access Transport charges as described in 7.2.1(B) will be applicable to the WATS Serving Office appropriately equipped for the service feature requested.

The Switched Access portion of this arrangement is available from Section 6 of this tariff, except as set forth in (5) following, and provides connectivity from the Telephone Company's WATS Serving Office to the customer's premises. The Special Access portion of this feature is available from Section 7 of this tariff and provides connectivity from the Telephone Company's WATS Serving Office to the customer's end user.

Switched Access Interface Arrangements are provided with rotary dial or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling. The choice of signaling is at the option of the customer. Switched Access Interface Arrangements are also available with extensions, i.e., terminations of the service at different buildings within the same or different LATA. All applicable Special Access rates, as set forth in 7. following, apply to such extensions.

Switched Access Interface Service is available in the following configurations/features:

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (T) Switched Access Interface (Cont'd)
- (1) Originating Only Feature

The Originating Only feature is available from appropriately equipped WATS Serving Offices on a per line basis and provides for the transporting of interstate calls from a special access line to the customer via either FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C or BSA-D Switched Access. It is provided in the following two arrangements:

- (a) Restricted Geographic Screening Arrangement - Originating Only

This arrangement provides the ability to screen a dialed number by NPA and/or NXX on the basis of a geographical band which is in accordance with an end user's service agreement with the customer. The geographical bands available are those in effect as of the effective date of this tariff provision. The customer must provide the Telephone Company with the band information required for each Special Access line subscribed to this service.

This arrangement is provided when used exclusively for interstate traffic (excluding international). This arrangement is not available for multi-jurisdictional traffic (combined interstate and intrastate) as set forth in 6.3.2(T)(1)(b).

This arrangement is available from appropriately equipped WATS Serving Offices in conjunction with FGC, FGD, BSA-C and BSA-D and provides for:

- the transporting of all interstate 1+NPA/NXX-XXXX and 1+FNPA-555-1212 calls to Directory Numbers that are associated with a customer selected geographic band to the customer;
- the blocking of all 1+NPA-NXX-XXXX and 1+FNPA-NXX-XXXX calls directed to Directory Numbers that do not lie within the geographic band selected by the customer;
- the blocking of all 1+500-NXX-XXXX, 0+500-NXX-XXXX, 1+700-NXX-XXXX, 1+800-NXX-XXXX, 1+888-NXX-XXXX and 1+900-NXX-XXXX calls;
- the blocking of all 0+NPA-NXX-XXXX calls;

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(T) Switched Access Interface (Cont'd)(1) Originating Only Feature (Cont'd)(a) Restricted Geographic Screening Arrangement - Originating Only (Cont'd)

- the transporting of all calls originated by dialing 0 (zero) to the Telephone Company operator;
- the transporting of all calls originated by dialing 00 (Zero, Zero) to the IC customer (available only with FGD and BSA-D);
- the blocking of all international calls preceded by the access codes 01 and 011; and
- the blocking of all calls preceded by the access code 101XXXX.

(b) Unrestricted Arrangement - Originating Only

This arrangement is a multi-jurisdictional offering provided from a Telephone Company appropriately equipped WATS Serving Office and provides for the transporting of interstate and intrastate calls from a Special Access Line to the customer via FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C and/or BSA-D Switched Access. FGA or BSA-A access is obtained from a WATS Serving Office by dialing a standard seven-digit number. FGB or BSA-B access is obtained from a WATS Serving Office by dialing 950-XXXX or 1+950-XXXX. The combining of interstate and intrastate traffic will be in accordance with 6.3.2(T)(5). This arrangement provides for transporting the following types of calls:

- 1+NPA-NXX-XXXX, 1+700-NXX-XXXX, and 1+FNPA-555-1212 calls to the IC customer or via facilities of the Telephone Company where state restrictions exist as detailed in 6.3.2(T)(5).
- 1+800-NXX-XXXX, 1+877-NXX-XXXX, or 1+888-NXX-XXXX calls to the carrier in accordance with the 800/877/888 customer identification function described in 6.2.5(A)(1);
- 1+900-NXX-XXXX calls to the carrier in accordance with the 900 customer identification function described in 6.2.6(A)(1).
- 1+500-NXX-XXXX, 0+500-NXX-XXXX calls to the carrier in accordance with the 500 customer identification function described in 6.2.8(A)(1).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Optional Features (Cont'd)

6.3.2 Common Switching Optional Features (Cont'd)

(T) Switched Access Interface (Cont'd)

(1) Originating Only Feature (Cont'd)

(b) Unrestricted Arrangement - Originating Only (Cont'd)

- 0+NPA-NXX-XXXX calls to the IC customer or via facilities of the Telephone Company where state restrictions exist as detailed in 6.3.2(T)(5) following;
- calls originated by dialing 0 (zero) to the Telephone Company operator;
- calls originated by dialing 00 (Zero, Zero) to the IC customer (available only with FGD and BSA-D);
- calls originated by dialing 01 or 011 to the IC customer; and
- 1+ or 0 (zero)+ NPA-NXX-XXXX calls preceded by the access code 101XXXX to the carrier designated by the dialed digits (available only with FGD and BSA-D).

Optional Access Code Arrangements

Subject to technical availability, on an individual line basis, calls preceded by the access code 101XXXX will be blocked.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (T) Switched Access Interface (Cont'd)
- (2) 800/877/888 Type Terminating Only Feature

The 800/877/888 Type Terminating Only feature is available on a per-line basis from appropriately equipped WATS Serving Offices and provides for the termination of all calls from the subscribing carrier (originated on a 1+800, 1+877 and 1+888 basis) directed to the Special Access via FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C and BSA-D Switched Access. This optional feature is not available with Tandem Switch Signaling.

- (3) Combined Originating 800/877/888 Type Terminating Calling Feature

The Combined Originating/Terminating Calling feature is available on a per-line basis from appropriately equipped WATS Serving Offices and provides the functionalities of both the Originating Only and the 800/877/888 Type Terminating Only features. This optional feature is not available with Tandem Switch Signaling.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.2 Common Switching Optional Features (Cont'd)(T) Switched Access Interface (Cont'd)

- (4) The following matrix details the direction, call type, service prefix and traffic types provided on each Switched Access Interface Arrangement.

Switched Access Interface Arrangements

Section Ref.	Restricted	Unrestricted	Combined	
	Geographic Screening Arrangement (T)(1)(a)	(T)(1)(b)	800/877/888 Type Terminating Only (T)(2)	Originating/ 800, 877, and 888 Type Terminating (T)(3)
<u>Directionality</u>				
Originating Only	x	x		
Terminating Only			x	
Two-Way				x
<u>Call Type (1+)</u>				
Local	B	B	B	B
intraLATA/Intrast.	B	R/D*	C	R/D/C*
intraLATA/Interst.	D	D	C	D/C
interLATA/Intrast.	B	D*	C	D/C*
interLATA/Interst.	D	D	C	D/C
<u>Service Prefix</u>				
0-	R	R		R
00-	D	D		D
0+	B	D*		D*
IDDD	B	D		D
101XXXX	B	D/B*		D/B*
<u>Traffic Type</u>				
411	B	B		B
911	R	R		R
976	R	R		R
700	B	D		D
500/800/877/888/900	B	D		D

D = Telephone Company DELIVERS traffic to the customer.

R = Telephone Company RETAINS and completes traffic.

C = Telephone Company COMPLETES traffic to the end user's premises.

B = Telephone Company BLOCKS traffic to an announcement.

*Intrastate traffic will be delivered to the customer except where a state restriction on the passage of intraLATA and/or interLATA traffic exists. These restrictions are detailed in 6.3.2(T)(5).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (T) Switched Access Interface (Cont'd)
- (5) Intrastate Traffic Restriction

An interstate Switched Access Interface and an intrastate Switched Access Interface must be ordered for the provisioning of multi-jurisdictional access.

Unless the customer subscribes to the 101XXXX blocking option offered in Section 6.3.2(T)(1)(b)i preceding, all calls carried over a Special Access Line used in conjunction with a Switched Access Interface for multi-jurisdictional access will be passed to the customer for completion except where a state restriction exists as follows.

State restrictions on the passage of intraLATA intrastate traffic exist in the following states:

Virginia

The state restrictions are described as follows:

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (T) Switched Access Interface (Cont'd)
- (5) Intrastate Traffic Restriction (Cont'd)
 - (a) Virginia

In accordance with the State Corporation Commission of the Commonwealth of Virginia's Order issued July 24, 1995 in Case No. PUC 850035, all intrastate intraLATA 1+ communications are to be completed by the Telephone Company. Customer dialed 101XXXX communications will be passed to the authorized carrier specified by the dialed access code.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (T) Switched Access Interface (Cont'd)
- (5) Intrastate Traffic Restriction (Cont'd)

The terms, conditions, and rates for the interstate Switched Access and Special Access associated with this feature are as set forth in Sections 6 and 7 of this tariff. The terms, conditions, and rates for the intrastate access services are as set forth in the Telephone Company Intrastate Access tariffs.

When the customer orders Special Access from Section 7 of this tariff for the facilities between the end user's premises and the WATS Serving Office for use with Multi-jurisdictional Access as set forth above, and if the Telephone Company intrastate tariff also provides for customer billing for these facilities, the customer will be exempted from the intrastate charge.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (U) Switched Data Service
 - (1) Switched 56

Switched Data service provides for a connection capable of up to 56 Kbps digital transmission between a customer's premises and a suitably equipped end office. Switched Data service lines connected at those suitably equipped end offices may be accessed on a switched basis for digital transmission up to 56 Kbps. These locations are identified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 Wire Center and Interconnection Information. Access is made via the standard FGD or BSA-D dialing pattern as described in Section 6.2.4(A)(6).

This option is available only with FGD and BSA-D. A separate FGD or BSA-D trunk must be established for the provision of Switched Data service. This trunk group requires the use of a DS1 digital interface (Interface Group 6) as described in Section 9.1.6. Switched Data and Non-switched Data traffic may not be combined on the same trunk group.

- (2) Switched 64

This option provides for a connection capable of up to 64 Kbps digital transmission with clear channel capability between the customer's CDL and a suitably equipped end office. Clear channel capability allows for full bandwidth availability to the customer with no part of the channel used for control, framing or signaling.

Switched 64 requires all digital facilities including the use of a DS1 digital interface as described in Section 9.1.6 and is available only with FGD and BSA-D from end offices capable of providing SS7 signaling, Bipolar with Eight Zero Substitution (B8ZS) line code format and Integrated Services Digital Network (ISDN) or other Switched Data based services. These locations are identified in the National Exchange Carrier Association, Inc., Tariff F.C.C. No. 4 Wire Center and Interconnection Information.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Optional Features (Cont'd)

6.3.2 Common Switching Optional Features (Cont'd)

(U) Switched Data Service

(2) (Cont'd)

Access is made via the standard dialing pattern as set forth in Section 6.2.4(A)(6).

A separate FGD or BSA-D trunk group must be established for the provision of Switched 64 service.

Switched data and non-switched data traffic may not be combined on the same trunk group.

(V) Band Advance Arrangement

This option, which is provided in association with two or more Switched Access Interface groups, provides for the automatic overflow of terminating calls to a Switched Access Interface group, when that group has exceeded its call capacity, to another Switched Access Interface group with a band designation equal to or greater than that of the overflowing Switched Access Interface group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one.

(W) Signaling System 7 (SS7) Out of Band Signaling

This option is provided in conjunction with Common Channel Signaling System 7 (CCS7) Access Service described in Section 6.2.7 and is only available with FGD, BSA-D, 500, 800, 888 or 900 Access service. SS7 Out of Band Signaling provides common channel out of band transmission of address and supervisory SS7 protocol signaling information between the end office or Telephone Company access tandem switching systems and the customer's premises. FGD and BSA-D Switched Access, 500, 800, 888, and 900 Access service equipped with SS7 Out of Band Signaling (Tandem Switch Signaling is only available with FGD, BSA-D, 500 and 900 Services) are available with Interface Groups 6 (DS1), 7 (DS1C), and 9 (DS3). SS7 Out of Band Signaling is provided at suitably equipped Telephone Company end office or Telephone Company access tandem. The technical specifications for SS7 Out of Band Signaling are described in Bellcore Technical Reference Publication TR-TSV-000905.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (X) Calling Party Number (CPN) Parameter

The CPN parameter, available as a nonchargeable option for originating FGD or BSA-D with SS7 Out of Band Signaling, provides for the automatic transmission of the ten digit directory number, associated with a calling station, to the customer's premises for originating calls. The ten digit number consists of the NPA plus the seven digit telephone number which may or may not be the same number as the calling station's charge number. The CPN parameter also includes a "privacy indicator" which allows the ten digit telephone number to be coded as presented or restricted for delivery to the called end user. The technical specifications for CPN are described in Bellcore Technical Reference Publication TR-TSV-000905.

- (Y) Carrier Selection Parameter (CSP)

The CSP parameter, available as a nonchargeable option for originating FGD or BSA-D with SS7 Out of Band Signaling, provides for the automatic transmission of a signaling indicator which signifies to the customer whether or not a given call originated from a presubscribed line. If the line was presubscribed, the indicator will signify if the end user did or did not dial 101XXXX. The technical specifications for CSP are described in Bellcore Technical Reference Publication TR-TSV-000905.

- (Z) Charge Number (CN) Parameter

The CN parameter, available as a nonchargeable option for originating FGD with SS7 Out of Band Signaling, is equivalent to the existing ten digit Automatic Number Identification (ANI) available with FGD with MF signaling. When BSA-D with SS7 Out of Band Signaling is specified, the customer may order the CN parameter at the rates for ANI-BSE as shown in 6.6. The CN parameter provides for the automatic transmission of the ten digit billing number of the calling station and the originating line information. The technical specifications for CN are described in Bellcore Technical Reference Publication TR-TSV-000905.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (Z) Charge Number (CN) Parameter (Cont'd)

These information digits shall only be used for billing and collection, routing, screening, and completion of the originating subscriber's call or transaction or for service directly related to the originating subscriber's call or transaction.

The information provided shall not be reused or resold without first notifying the originating telephone subscriber and obtaining affirmative consent of the subscriber for reuse or resale.

Unless the originating subscriber has given consent for the reuse or resale, any information provided shall not be used for any purpose other than:

- performing the services or transactions that are subject of the originating subscriber's call;
- ensuring network performance security, and the effectiveness of call delivery;
- compiling, using and disclosing aggregate information, and,
- complying with applicable laws.

The above restrictions shall not prevent the subscriber to the CN Parameter from using information acquired from a CN Parameter, such as the telephone number or information derived from analysis of the characteristics of calls received through the CN Parameter, to offer a product or service that is directly related to the products or services previously purchased by a customer of the CN Parameter subscriber.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (AA) Tandem Switch Signaling

This option allows for the passing of the Carrier Identification Code (CIC) and the OZZ code or circuit code information needed to perform tandem switching functions. The CIC identifies the uniform access code associated with the Switched Access usage for a specific interexchange carrier. The OZZ code identifies the service class routing code of a multifrequency call that indicates the interexchange carrier's trunk group to which the traffic will be routed. The circuit code identifies the service class routing of a SS7 call that indicates the interexchange carrier's trunk group to which the traffic will be routed (e.g., 0+, 0, 500, 900, etc). This option is only available with FGD and BSA-D Switched Access, 500 SAC Access Service and 900 SAC Access service and can only be provided from equal access end offices. This option is not available from end offices that use alternate technologies to provide equal access capabilities, or from Telephone Company access tandems.

- (AB) FGD and BSA-D Switched Access with 950-XXXX Access

FGD and BSA-D Switched Access with 950-XXXX Access is a optional arrangement that provides for the routing of originating calls using a customer's 950-XXXX access code to the customer over the customer's FGD or BSA-D trunks. All such calls will be rated as FGD or BSA-D switched access calls.

This optional arrangement, available where technically feasible in equal access end offices, uses FGD or BSA-D signaling protocols and technical specifications. The 950-XXXX traffic can be routed over FGD or BSA-D trunks combined with the customer's standard FGD or BSA-D traffic directly to the CDL or through a Telephone Company access tandem to the CDL. The customer must be able to differentiate standard FGD or BSA-D calls from 950-XXXX calls delivered over the same FGD or BSA-D trunks. FGD or BSA-D Switched Access with 950-XXXX Access is not available with certain Telephone Company Access tandem switches when the signaling from an end office to the Telephone Company Access tandem is multifrequency address signaling and the signaling from the Telephone Company Access tandem to the CDL is SS7 Out of Band signaling. The customer may not have originating FGD or BSA-D switched access with 950-XXXX access and originating FGB or BSA-B switched access in the same end office utilizing the same 950-XXXX Customer Identification Code.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.2 Common Switching Optional Features (Cont'd)
- (AC) Carrier Identification Parameter (CIP)

Carrier Identification Parameter is available as an optional feature provided in conjunction with originating FGD with SS7 Out of Band Signaling. CIP provides for the transmission of the Carrier Identification Code (CIC) or the access code 101XXXX to the customer with the Initial Address Message (IAM). CIP is available with originating FGD in suitably equipped end offices and access tandems. CIP will be populated by a 4-digit CIC at the rates shown in 6.6.15. Application of charges is shown in 6.5.16.

The Telephone Company will make every effort to maintain CIP information, equipment and facilities in a format which facilitates the customer's use of the CIP offering. Changes (i.e., technology, customer account makeup, etc.) can occur affecting such information, however, and the Telephone Company cannot guarantee that the CIP equipment and facilities will be completely capable of processing CIP data at all times. Accordingly, the Telephone Company shall not be liable for any incidental, indirect, special or consequential damages (including lost revenue or profits) of any kind, resulting from inaccuracy of CIP data and/or the inability of its equipment and facilities to process CIP data.

- (AD) Flexible Automatic Number Identification (FLEX ANI)

FLEX ANI, available as a nonchargeable option, when ordered in conjunction with the ANI optional feature or the ANI BSE, provides additional values for the ANI Information Indicator (II) digits to identify calls originating from public telephone access service lines for per call compensation. The FLEX ANI option is provided per end office on a Carrier Identification Code (CIC) basis and is available with FGD service or BSA D service at suitably equipped end offices.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.3 Optional Features (Cont'd)
- 6.3.3 Transport Termination Optional Features
- (A) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with FGB and BSA-B only on a directly trunked basis.

- (B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin

This option may be ordered to provide coin, non-coin, or combined coin and non-coin operation. It is available, only with Feature Group C and BSA-C and is provided in electronic end offices and other Telephone Company end offices where equipment is available. It is provided as a trunk type of Transport Termination.

Coin:

This arrangement provides for initial coin return control and routing of 0+, 0-, 1+, 01+ or 011+ prefixed originating coin calls requiring operator assistance to the customer's premises. Because operator assisted coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS or TSPS-like systems, rather than in the customer's manual cord boards.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.3 Optional Features (Cont'd)6.3.3 Transport Termination Optional Features (Cont'd)(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin (Cont'd)

Non-Coin:

This arrangement provides for the routing of 0+, 0, 1+, 01+ or 011+ prefixed originating non-coin calls requiring operator assistance to the customer's premises. Because operator assisted non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

The operator assistance non-coin calling arrangement is also normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's TSPS systems, rather than in the customer's manual cord boards. When so equipped, the ANI feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

Combined Coin and Non-Coin:

This arrangement provides for initial coin return control and routing of 0+, 0, 1+ or 011+ prefixed originating operator assisted coin and non-coin calls requiring operator assistance to the customer's premises. Because operator assisted coin and non-coin calling traffic is routed over a trunk group dedicated to operator assisted calls, this arrangement is only provided in association with the Service Class Routing option.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.3 Optional Features (Cont'd)

6.3.3 Transport Termination Optional Features (Cont'd)

(B) Operator Trunk - Coin, Non-Coin, or Combined Coin and Non-Coin
(Cont'd)

This arrangement is normally ordered by the customer in conjunction with the ANI optional feature, since the preponderance of trunk groups equipped with this arrangement will be terminated in the customer's operator services systems rather than in the customer's manual cord boards. When so equipped, the ANI optional feature provides for the forwarding of information digits which identify that the call has originated from a hotel or motel, and whether room number identification is required, or that special screening is required, e.g., for coinless public stations, dormitory or inmate stations, or other screening arrangements agreed to between the customer and the Telephone Company.

(C) Operator Trunk - Full Feature

This option provides the initial coin return control function to the customer's operator. It is available with FGD and BSA-D and is provided as a trunk type for Transport Termination. This option is not available in conjunction with SS7 Out of Band Signaling.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Access Service (Cont'd)6.4 Provision of Switched Access Service

In addition to the obligations of the Telephone Company set forth in 2. preceding, the Telephone Company has certain other obligations pertaining only to the provision of Switched Access Service. These obligations are as follows:

(A) Network Management

The Telephone Company will administer its network to insure the provision of acceptable service levels to all telecommunications users of the Telephone Company's network services. Generally, service levels are considered acceptable only when both end users and customers are able to establish connection with little or no delay encountered within the Telephone Company network.

The Telephone Company maintains the right to apply protective controls, (i.e., those actions which selectively cancel the completion of traffic) over any traffic carrier over its network, including that associated with a customer's Switched Access Service. Generally, such protective measures would only be taken as a result of occurrences such as failure or overload of Telephone Company or customer facilities, natural disasters, mass calling or national security demands. In the event that the protective controls applied by the Telephone Company result in the complete loss of service by the customer, the customer will be granted a Credit Allowance for Service Interruption as set forth in 2.4.4(C) preceding.

(B) Design and Traffic Routing of Switched Access Service

The Telephone Company shall work cooperatively with the customer to design and determine the routing and directionality of Switched Access including the selection of facilities from the first point of switching to the customer's premises. Selection of facilities, equipment and routing of the Switched Access is based on standard engineering methods, facilities and equipment available, Telephone Company traffic routing plans, and the customer's order for service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(B) Design and Traffic Routing of Switched Access Service (Cont'd)

The Telephone Company will select the First Point(s) of Switching and routing to be used where traffic is aggregated at a central location. Those Telephone Companies providing equal access in a centralized Telephone Company equal access tandem arrangement are listed in 15.2. Direct-Trunked Transport is not provided to centralized equal access end offices and is not provided to those Telephone Company end offices that are not capable of measuring Switched Access Minutes of Use.

Any customer may request that the facilities used to provide Switched Access Service be specially routed. The regulations, rates and charges for Special Facilities Routing (i.e., Avoidance, Diversity, and Cable-Only) are set forth in 11.

(C) Access Tandem Arrangements

Trunk side switched access services may be provided via a Telephone Company access tandem to specific end offices subtending that Telephone Company access tandem. Each subtending end office will be located within the Telephone Company Access Tandem Network as defined by the Telephone Company. Telephone Company access tandem offices are identified in the National Exchange Carrier Association Tariff FCC No. 4. The Telephone Company will provide the description of a Telephone Company Access Tandem Network to a customer upon request. When trunk side access is ordered to a specific Telephone Company access tandem, access will be provided to all the NXXs included in that Telephone Company Access Tandem Network.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(D) Determination of Number of Transmission Paths and Terminations

For Switched Access Service arrangements the customer must specify the number and type of Entrance Facilities between the customer designated premises and the serving wire center in the order for service.

The Telephone Company will determine the number of Switched Access Service transmission paths to be provided for Tandem-Switched Transport Services, when ordered in busy hour minutes of capacity. A transmission path is a communication path within the frequency bandwidth of approximately 300 to 3000 Hz or a derived communication path of frequency bandwidth of approximately 300 Hz to 3000 Hz provided over a high frequency analog facility or a high speed digital facility between a customer's premises and a Telephone Company location.

The number of transmission paths will be developed using the total busy hour minutes of capacity by type [as described in 5.1.2 (A)(2)] for the end offices for each Switched Access Arrangement ordered from a customer's premises. The total busy hour minutes of capacity by type for the end office will be converted to transmission paths using standard Telephone Company traffic engineering methods. The number of transmission paths provided shall be the number required based on (1) the use of Telephone Company access tandems and end offices (2) the use of end offices only, or (3) the use of Telephone Company access tandems only.

For analog entry switches, a termination will be provided for each transmission path provided. For digital entry switches, an equivalent termination will be provided for each transmission path provided.

(E) Transmission Specifications

Each Switched Access Service transmission path is provided with standard transmission specifications. There are three different standard specifications (Types A, B and C). The standard for a particular transmission path is dependent on the Switched Access Service, the Interface Group and whether the service is directly routed or via a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(E) Transmission Specifications (Cont'd)

The available transmission specifications are set forth in 9 following. Data Transmission Parameters are also provided with each Switched Access Service transmission path. The Telephone Company will, upon notification by the customer that the data parameters are not being met, conduct test independently or in cooperation with the customer, and take any necessary action to insure that the data parameters are met. The transmission performance parameters relate only to the Telephone Company provided portion of the service.

The transmission specifications and diversity requirements for CCS7 Access Service are as described in Bellcore Technical Reference Publication TR-TSV-000905.

(F) Design Layout Report

At the request of the customer, the Telephone Company will provide to the customer the makeup of the facilities and services provided from the customer's premises to the first point of switching. This information will be provided in the form of a Design Layout Report. The Design Layout Reports will be provided to the customer at no charge, and will be reissued or updated whenever these facilities are materially changed.

(G) Testing(1) Acceptance Testing

Prior to the customers acceptance of Switched Access Service, and at the Customer's request, the Telephone Company will cooperatively test the following parameters as set forth in (a) and (b). Also, when a customer provides a digital to analog conversion in the provision of a Switched Access Service, the customer has the ability to specify either the digital or analog acceptance tests as described in (a) or (b) to be performed by the Telephone Company. In addition to the various tests outlined below which will be included with the installation of service, other additional Cooperative Acceptance Testing and Nonscheduled Testing is available for Switched Access Service as detailed in 8.

- (a) When a customer orders FGB, FGC, FGD, BSA-B, BSA-C, BSA-D, 500 Access Service, 800/877/888 Access Service, or 900 Access Service and the Telephone Company provides a digital transmission facility between the Telephone Company serving wire center and the customers designated premise without a digital to analog conversion; the digital acceptance tests performed by the Telephone Company will consist of the following:

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.4 Provision of Switched Access Service (Cont'd)

(G) Testing (Cont'd)

(1) Acceptance Testing (Cont'd)

(a) (Cont'd)

- Bit Error test in each transmission direction
- 1004 Hz test per trunk group per di-group in each transmission direction
- C-notched noise test per trunk group per di-group in each transmission direction
- One operational signaling test per trunk in each transmission direction
- Bit Error test in each transmission direction
- 1004 Hz test per trunk group per di-group in each transmission direction
- C-notched noise test per trunk group per di-group in each transmission direction
- One operational signaling test per trunk in each transmission direction.

If a Telephone Company digital facility is provided in conjunction with a High Capacity Special Access Service, the Telephone Company will furnish, upon the customer's request and where the central office is technically equipped, appropriate equipment to allow the customer to conduct tests to verify the integrity of the facility in lieu of cooperative acceptance testing.

(b) When a customer orders FGB, FGC, FGD, BSA-B, BSA-C, BSA-D, 800 or 888 Switched Access Service, and the Telephone Company provides analog transmission facilities between the Telephone Company serving wire center and the customer's designated premise, the analog tests performed by the Telephone Company consist of the following:

- Attenuation tests
- Balance tests (ERL-SRL)
- C-Message noise test
- C-notched noise
- 3 tone slope
- DC continuity
- Operational Signaling

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.4 Provision of Switched Access Service (Cont'd)

(G) Testing (Cont'd)

(1) Acceptance Testing (Cont'd)

- (c) When 500, 800, 888 or 900 NXXs are activated (new translations installed) by the Telephone Company, NXX code testing will be performed by the Telephone Company. For each new NXX activated in a Telephone Company switch capable of performing the customer identification function for 500, 800, 888 or 900 Access Service, the Telephone Company shall place one test call to the IC's 500, 800, 888 or 900-NXX-XXXX test number. This number provides an announcement identifying the IC, thereby verifying Telephone Company routing.

(2) In-Service Testing

After a Switched Access Service has been tested and accepted by the customer for service, the Telephone Company may perform various tests to ensure the quality of the Switched Access Service. These tests may be performed on a routine basis at the discretion of the Telephone Company, and are made subject to the availability of qualified personnel and test equipment. No charge will be assessed to the customer for the provision of In-Service tests.

The Telephone Company may at its option provide the following types of In-Service Switched Access Service tests:

- Attenuation and noise tests
- Balance tests
- Gain - slope tests

When the Telephone Company and the customer agree to test cooperatively, the Telephone Company shall provide the personnel and test equipment necessary to perform such tests at a mutually agreed upon time. The customer may request the Telephone Company to provide a technician at the customer's premises in order to perform these cooperatively scheduled tests. Rates and charges as set forth in 8.4 will apply per technician provided.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.4 Provision of Switched Access Service (Cont'd)

(G) Testing (Cont'd)

(3) Testing Capabilities

FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C and BSA-D are provided, in the terminating direction where equipment is available, with Seven Digit Access to balance (100 type), and milliwatt (102 type) test lines.

Additionally, FGB, FGC, FGD, BSA-B, BSA-C and BSA-D are provided, in the terminating direction where equipment is available, with seven digit access to the following test lines:

- Nonsynchronous or synchronous test lines
- Automatic transmission measuring (105 type) test line
- Data transmission (107 type) test line
- Loop around test line
- Short circuit and open circuit test line

(4) SS7 Out of Band Signaling

When FGD, BSA-D, 500, 800, 888 or 900 Access Service with SS7 Out of Band Signaling is ordered, network compatibility and other operational tests will be performed cooperatively by the Telephone Company and the customer at locations, dates, and times as specified by the Telephone Company in consultation with the customer. These tests are as specified in Bellcore Technical Reference Publication TR-TSV-000905. Successful completion is necessary to receive the SS7 signaling option. To protect the security of the SS7 network, certain of the information provided, i.e., point codes, by the Telephone Company to the customer will be subject to a nondisclosure agreement.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(H) Trunk Group Measurement Reports

Subject to availability, the Telephone Company will make available trunk group data in the form of usage in CCS, peg count and overflow, to the customer based on previously agreed to intervals.

With the agreement of the customer, trunk group data in the form of usage in CCS, peg count and overflow for its end of all access trunk groups, where technologically feasible, will be made available to the Telephone Company. These data will be used to monitor trunk group utilization and service performance and will be based on previously arranged intervals and format.

(I) Service Performance Data

Subject to availability, end-to-end service performance data available to the Telephone Company through its own service evaluation routines, may also be made available to the customer based on previously arranged intervals and format. These data provide information on overall end-to-end call completion and non-completion performance, e.g., customer equipment blockage, failure results and transmission performance. These data do not include service performance data which are provided under other tariff sections; e.g., testing service results. If data are to be provided in other than paper format, the charges for such exchange will be determined on an individual case basis. Performance data related to customer provided facilities will not be provided.

(J) Equal Access Conversions

Rates and charges for Switched Access Service depend generally upon its use by the customer, and whether it is provided in a Telephone Company end office that is equipped to provide equal access capabilities (FGD Access described in 6.2.4 and BSA-D described in 6.2.8). The Telephone Company will provide written notification to all access customers of record (at the minimum) within a particular LATA that an end office in that LATA is scheduled to be converted to an equal access end office. This notification will be sent, via certified U.S. Mail, to each access customer of record in the LATA where the conversion is scheduled to occur, at least six months in advance of the conversion date.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(J) Equal Access Conversions (Cont'd)

ICs must comply with the FGD or BSA-D ordering procedures of the Telephone Company and a firm order for this service must be received no later than 120 days prior to the end office equal access conversion date in order for the IC to participate in the presubscription process as described in 8.5.

Customers may request FGD or BSA-D service to replace their existing Feature Group or Basic Serving Arrangements service(s) subsequent to an office conversion to equal access. Rates and charges for such requests are set forth in 6.5.4(E).

(K) Design Blocking Probability

The Telephone Company will design the facilities used in the provision of Switched Access Service to meet the blocking probability criteria as set forth as follows:

For FGA, FGB, BSA-A and BSA-B no design blocking criteria apply.

For FGC and BSA-C, the design blocking objective will be no greater than one percent (.01) between the point of termination at the customer's premises and the first point of switching when traffic is directly routed without an alternate route. Standard traffic engineering methods will be used by the Telephone Company to determine the number of transmission paths required to achieve this level of blocking.

For FGD and BSA-D, the design blocking objective will be no greater than one percent (.01) between the point of termination at the customer's premises and the end office, whether the traffic is directly routed without an alternate route or routed via a Telephone Company access tandem. Standard traffic engineering methods as set forth in reference document Telecommunications Transmission Engineering - Volume 3 - Networks and Services (Chapters 6-7) will be used by the Telephone Company to determine the number of transmission paths required to achieve this level of blocking.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(K) Design Blocking Probability (Cont'd)

For 800/877/888 Access Service provided via 500 Access Service trunk(s), 800/877/888 Access Service trunk(s), or 900 Access Service provided via 900 Access Service trunk(s) the design blocking objective will be no greater than one percent (.01) between the point of termination at the customer's premises and the first point of switching when traffic is directly routed without an alternate route. Standard traffic engineering methods will be used by the Telephone Company to determine the number of transmission paths required to achieve this level of blocking. During mass calling events, the blocking objective of no greater than one percent (.01) can not be guaranteed.

The Telephone Company will perform routine measurement functions except on FGA, FGB, BSA-A and BSA-B, to assure that an adequate number of transmission paths are in service. The Telephone Company will recommend that additional capacity (i.e., busy hour minutes of capacity or trunks) be ordered by the customer when additional paths are required to reduce the measured blocking to the designed blocking level. For the capacity ordered, the design blocking objective is assumed to have been met if the routine measurements show that the measured blocking does not exceed the threshold listed in the following tables.

- (1) For transmission paths carrying only first routed traffic direct between an end office and customer's premises without an alternate route, and for paths carrying only overflow traffic, the measured blocking thresholds are as follows:

	Measured Blocking Thresholds in the Time Consistent Busy Hour for the Number of Measurements Taken Between 8:00 a.m. and 11:00 p.m. _____ Per Trunk Group _____			
	15-20 <u>Measurements</u>	11-14 <u>Measurements</u>	7-10 <u>Measurements</u>	3-6 <u>Measurements</u>
2	.070	.080	.090	.140
3	.050	.060	.070	.090
4	.050	.060	.070	.080
5-6	.040	.050	.060	.070
7 or more	.030	.035	.040	.060

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.4 Provision of Switched Access Service (Cont'd)(K) Design Blocking Probability (Cont'd)

- (2) For transmission paths carrying first routed traffic between an end office and customer's premises via a Telephone Company access tandem, the measured blocking thresholds are as follows:

	Measured Blocking Thresholds in the Time Consistent Busy Hour for the Number of Measurements Taken Between 8:00 a.m. and 11:00 p.m.			
	Number of Transmission Paths Per Trunk Group	Per Trunk Group		
	15-20 <u>Measurements</u>	11-14 <u>Measurements</u>	7-10 <u>Measurements</u>	3-6 <u>Measurements</u>
2	.070	.080	.090	.140
3	.050	.060	.070	.090
4	.050	.060	.070	.080
5-6	.040	.050	.060	.070
7 or more	.030	.035	.040	.060

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations6.5.1 Rate Categories

Switched Access Service is composed of four general Rate Categories which are combined to form the foundation for measuring and rating such services. Each Rate Category is composed of certain specific rate elements which may apply to each Switched Access Service. The specific rate elements which comprise each Rate Category are as follows.

Local Transport (Described in 6.5.2 following)

- Entrance Facility
- Direct-Trunked Transport
- Tandem-Switched Transport
- Interconnection Rate
- Multiplexing
- Dedicated Trunk Port
- Shared Multiplexing

End Office (Described in 6.5.3 following)

- Local Switching
- Information Surcharge
- 800/888 Data Base Query Service
- Shared Trunk Port

Carrier Common Line (Described in Section 3 preceding)

- Originating Element
- Terminating Element

Nonrecurring Charge (Described in 6.5.4 following).CCS7 Access Service (Described in 6.5.12 following)

- Dedicated Switched Access Line
- Dedicated Switched Access Transport
- STP Port Termination
- SS7 Transport

Switched Access Cross Connect (Described in 6.5.13 following)

Local Transport, End Office and Carrier Common Line Charges are usage based rates applied on a per access minute basis, and are also applied as either premium rates or nonpremium rates as set forth in 6.5.6 following. Access minute charges are accumulated over a monthly period. The determination of access minutes is set forth in 6.5.5 following. 800/877/888 Data Base Query charges are applied on a per query basis either as basic or premium as described in 6.5.3(C).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.2 Local Transport
- (A) Local Transport Description

Local Transport provides the transmission of Switched Access communications between the customer's premises and the originating or terminating end office(s) in the Access Area with one exception. Local Transport associated with FGA or BSA-A 1+ terminating traffic provides for the transmission of Switched Access outside the Access Area, however within the LATA. Local Transport is comprised of the following rate elements; an Entrance Facility Rate, a Direct-Trunked Transport Rate, a Tandem-Switched Transport Rate, an Interconnection Rate, a Dedicated Trunk Port Rate, and a Shared Multiplexing Rate. A Dedicated Switched Access Transport Rate is associated with CCS7 Access Service. An EIS Cross Connect rate applies where Switched Access is interconnected with customer transmission facilities in accordance with Section 17.

Where Local Transport rates are applied on a distance sensitive basis, airline mileage is calculated in accordance with the V&H coordinate method as set forth in NECA Tariff FCC No. 4. If the calculated miles result in a fraction, the value is rounded up to the next full mile.

Local Transport is a two-way voice frequency transmission path composed of facilities and equipment determined by the Telephone Company. This transmission path permits the transport of calls in the originating direction (from the end user end office to the customer's premises) and in the terminating direction (from the customer's premises to the end office), but not simultaneously. This transmission path may be comprised of any form or configuration of plant and equipment capable of and typically used in the telecommunications industry for the transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

The Telephone Company will work cooperatively with the customer in determining (1) whether the service is to be directly routed to an end office or through a Telephone Company access tandem, and (2) the directionality of the service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.2 Local Transport (Cont'd)(A) Local Transport Description (Cont'd)

Where the Telephone Company elects to provide equal access via a centralized Telephone Company equal access tandem arrangement, the Telephone Company will designate the serving wire center. These locations are listed in 15.2. Direct-Trunked Transport is not provided to centralized equal access end offices and is not provided to those Telephone Company end offices that are not capable of measuring switched access minutes of use.

Switched Transport is provided at the rates and charges set forth in 6.6.

(B) Entrance Facility

The Entrance Facility Rate is assessed upon customers for the use of Telephone Company Voice Grade, DS1 and DS3 high capacity facilities, including interface arrangements, between the point of termination at the customer's premises and the Telephone Company's serving wire center. The Entrance Facility Rate is also assessed upon customers for the provisioning of Tandem Switch Signaling. The Entrance Facility is a flat-rated charge assessed per Voice Grade, DS1 or DS3 termination provided at the customer's premises. This charge will apply even if the customer designated premises and the serving wire center are co-located in a Telephone Company building. Technical descriptions of each Entrance Facility and associated interface are further described in Section 9.1. In lieu of an Entrance Facility, Switched Access may be interconnected with customer transmission facilities in accordance with Section 17.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.2 Local Transport (Cont'd)(C) Direct Trunked Transport

The Direct-Trunked Transport rate is assessed upon customers for the use of Voiceband, DS1 or DS3 High Capacity transport dedicated to a customer between a serving wire center to an end office (including host end offices) or from a serving wire center to a Telephone Company access tandem. Direct Trunked Transport also provides for the transmission facilities between:

- a serving wire center or end office and a Telephone Company Hub office other than the serving wire center where multiplexing is performed;
- a serving wire center or access tandem and a Telephone Company Hub office other than the serving wire center where multiplexing is performed;
- between an EIS Cross-Connect arrangement located in a Telephone Company wire center and a different serving wire center, end office or Telephone Company access tandem office.
- a serving wire center and end office where Tandem Switch Signaling is provided as described in 6.5.3(D) and 6.5.14.

The Direct-Trunked Transport Rate is flat-rated and has both distance-sensitive and nondistance-sensitive components. Direct-Trunked Transport is not provided to centralized equal access end offices and end offices not capable of measuring switched access usage. Centralized Access end offices and those offices not capable of measuring switched access usage are specified in NECA Tariff FCC No. 4.

A Dedicated Trunk Port is applicable to the purchase of dedicated trunks terminated by that port. The Dedicated Trunk Port provides for the termination of a dedicated trunk at the end office or access tandem. The Dedicated Trunk Port is flat-rated and is assessed per voice grade or DS1 channel terminating at an end office or access tandem. The rate is determined based on whether the trunk is voice grade or DS1.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.2 Local Transport (Cont'd)

(C) Direct Trunked Transport (Cont'd)

- (1) The Direct-Trunked Transport Mileage rate is applied on a monthly airline mile basis.

To determine the Direct-Trunked Transport airline mileage, the distance will be measured from the wire center that serves the customer's premises to the Telephone Company access tandem, end office, WSO (for WATS and WATS-type), or the end office that serves as the host for a remote office.

For traffic originating from or terminating to a remote office, the mileage will be calculated separately from the end office that serves as the host to the remote using the V&H coordinates method. The Direct-Trunked Transport Mileage Rate applies from the customer's serving wire center to the end office that serves as the host office. Traffic originating from and/or terminating to the remote will be billed Tandem-Switched Transport charges, based on mileage between the host and remote office. The Tandem-Switched Transport - Termination charge is applicable for each termination between the host and remote office. The Tandem-Switching Charge is not applicable for Tandem-Switched Transport between the end office that serves as the host to the remote office.

When Telephone Company Hubs are involved, mileage is computed and rates applied separately for each section of the Direct-Trunked Transport, i.e., customer serving wire center to Hub, Hub to Hub, Hub to Telephone Company access tandem or Hub to end office.

- (2) The Direct-Trunked Transport - Fixed Rate is applied only once per facility. When two or more customer designated premises are served by a common serving wire center (i.e., mileage is zero) the fixed rate component is not applied. Except when served by a common serving wire center, the Fixed charge is applied in full whether the Telephone Company provides one or more than one mileage facility terminations. The Fixed rate does not apply when the Telephone Company provides only an intermediate portion of a mileage facility and no mileage facility terminations.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.2 Local Transport
- (D) Tandem-Switched Transport

The Tandem-Switched Transport Rate is assessed upon customers for the use of transport between a serving wire center and an end office that is switched at a Telephone Company access tandem. The Tandem-Switched Transport Rate may also be assessed for transport between a Telephone Company access tandem and end office, between a host end office and a remote end office and between a FGA or BSA-A dial tone office and other end offices in the local calling area. Tandem-Switched transport consists of circuits used in common by multiple customers from the Telephone Company access tandem to an end office. The Tandem-Switched Transport Rate includes four subelements, a Tandem-Switched Transport - Facility, a Tandem-Switched Transport - Termination, Tandem Switching Rate, and Shared Multiplexing Rate. The Tandem-Switching Rate is not applicable for transport between a host end office and a remote end office or to FGA or BSA-A Transport.

- (1) The Tandem-Switched Transport - Facility rate is applied per access minute per airline mile for each Switched Access Feature Group and Basic Serving Arrangement type. Tandem-Switched Transport-Facility airline mileage will be determined as follows:

Where Direct-Trunked Transport is ordered between a serving wire center and a Telephone Company access tandem, and Tandem-Switched Transport is ordered to subtending end offices, mileage will be measured from the Telephone Company access tandem to the end office or WSO (for WATS and WATS-type).

When the end office is acting as a host office, a separate mileage calculation determines the mileage from the host office to the remote office. Traffic originating from and/or terminating to the remote will be billed Tandem-Switched Transport charges. The Tandem Switching charge does not apply to traffic between a host and remote office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.2 Local Transport (Cont'd)
- (D) Tandem-Switched Transport (Cont'd)
 - (1) (Cont'd)

Transport rates apply to the switched access minutes of use that originate/terminate at a MTSO directly connected to a Telephone Company access tandem or end office. Where the connection is made directly to an end office, Switched Transport rates (Tandem-Switched Transport or Direct-Trunked Transport, as ordered by the customer) shall apply between the end office and the serving wire center of the customer. Where the connection is made directly to a Telephone Company access tandem, Switched Transport rates (Tandem-Switched Transport or Direct-Trunked Transport, as ordered by the customer) shall apply between the Telephone Company access tandem and the serving wire center of the customer. For Telephone Company access tandem connections, Tandem-Switched Transport Facility mileage, if applicable, will be measured from the Telephone Company access tandem to the customer's serving wire center. The Tandem Switching charge shall apply to all minutes of use where the MTSO connection is made directly to a Telephone Company access tandem.

Where Tandem-Switched Transport - Facility is provided by more than one telephone company, the mileage for each will be determined as in 2.4.7.

The Tandem-Switched Transport - Facility rate will not apply if the CDL serving wire center and the end office are co-located (where $V/H - V/H = 0$).

- (2) The Tandem-Switched Transport - Termination rate applies per access minute for each termination (i.e., the access tandem and the end office serving the end user, and the host and remote end office) for all Switched Access Feature Group or Basic Serving Arrangement types.

When both terminations are provided by the Telephone Company, the Tandem-Switched Transport - Termination rate applies twice, including those situations when the terminations are co-located, except where the Tandem-Switched Transport Termination originates or terminates to a Class 4/5 switch.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.2 Local Transport (Cont'd)

(D) Tandem-Switched Transport (Cont'd)

- (2) When both terminations are provided by the Telephone Company and traffic originates from or terminates to a remote office, the Tandem-Switched Transport - Termination rate applies four times (i.e., for each termination from the serving wire center to the host and for each termination from the host to the remote office).

The Tandem-Switched Transport - Termination rate applies to switched access minutes of use that originate/terminate at a MTSO directly interconnected to a Telephone Company access tandem or end office.

Where the Tandem-Switched Transport - Facility is provided by more than one telephone company, the Tandem-Switched Transport - Termination rate applies for the termination (i.e., the access tandem or the end office serving the end user) at the Telephone Company end of the Switched Transport as in 2.7. The Tandem-Switched Transport - Termination rate will not apply when the Telephone Company is the intermediate provider of the Tandem-Switched Transport - Facility.

- (3) The Tandem Switching rate is usage-sensitive and is applied per access minute to all feature groups or BSAs for Tandem-Switched Transport with three exceptions. The Tandem-Switching Rate is not applicable for Tandem-Switched Transport between a host office and a remote office, nor is it applicable for FGA or BSA-A, including Extended FGA and BSA-A Terminating Traffic described in 6.5.9. The Tandem Switching rate also will not apply to access minutes that originate or terminate at the end office part of a Class 4/5 switch.
- (4) For Tandem Switched Transport, a Shared Multiplexing Rate will be assessed to all minutes of use from the Telephone Company Access Tandem to an end office, except when the access minute originate or terminate at the end office part of a Class 4/5 switch. The Shared Multiplexing rate recovers multiplexing costs on the end office side of the tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.2 Local Transport (Cont'd)

(D) Tandem-Switched Transport (Cont'd)

- (5) The Shared Trunk Port provides for the termination of a Tandem-Switched Trunk at an end office. The Shared Trunk Port is usage rated and shall be assessed to all access minutes which utilize Tandem-Switched Transport. This includes minutes of use associated with FGA service when traffic is terminated in an end office that is not the dial tone office and on minutes of use provided at a remote office.

The Shared Trunk Port charge will not apply to access minutes that originate or terminate at the end office part of a Class 4/5 switch.

The Shared Trunk Port charge does not apply to switched access minutes of use that originate or terminate at MTSOs directly interconnected to a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.2 Local Transport (Cont'd)

(E) Interconnection Rate

The Interconnection Rate is assessed upon all customers for interconnecting with the Telephone Company's switched access network. The Interconnection Rate has two rate levels. One rate applies to customers utilizing Telephone Company transport and a different rate that is applicable to Switched Access EIS Cross Connect arrangements.

The Interconnection rate is usage-sensitive and is applied per access minute to all feature groups that utilize the Telephone Company's switched access network. It applies to all originating and terminating minutes of use whether transported via Direct-Trunked Transport, Tandem-Switched Transport, Entrance Facilities or Switched Access EIS Cross Connect Arrangements.

The Interconnection Rate does not apply to switched access minutes of use that originate or terminate at MTSOs directly interconnected to a Telephone Company access tandem office.

The application of originating and terminating rates are set forth below.

(a) Terminating per minute charge(s) apply to:

- all terminating access minutes of use;
- all originating access minutes of use associated with FGA or BSA-A Access Services used to provide Foreign Exchange Services; and
- all originating access minutes of use associated with calls placed to 500, 700, 800, 888 and 900 numbers, less those originating access minutes of use associated with calls placed to 500, 700, 800, 888 and 900 numbers for which the customer furnishes for each month a report, as described in Section 3, of either the number of calls or minutes or a report of the percent of calls or minutes that terminate in a Switched Access Service that is assessed Carrier Common Line charges.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.2 Local Transport (Cont'd)

(b) The originating per minute charge(s) apply to:

- all originating access minutes of use;
- less those originating access minutes of use associated with FGA or BSA-A Access Services used to provide Foreign Exchange Service;
- less all originating access minutes of use associated with calls placed to 500, 700, 800, 888, and 900 numbers;
- plus all originating access minutes of use associated with calls placed to 500, 700, 800, 888, and 900 numbers for which the customer furnishes for each month a report of either the number of calls or minutes or a report of the percent of calls or minutes that terminate in a Switched Access Service that is assessed Carrier Common Line charges, and for which a corresponding reduction in the number of terminating access minutes of use has been made as set forth in (a).

(F) Multiplexing

Multiplexing provides for arrangements to convert a single higher capacity or bandwidth circuit for bulk transport to several lower capacity or bandwidth circuits. Monthly rates and nonrecurring charges for multiplexing apply as follows: 1) the DS3/DS1 Multiplexing Charge applies to all DS3 to DS1 multiplexing arrangements; 2) the DS1/Voice Multiplexing Charge applies to all DS1 Entrance Facility and Direct-Trunked Transport circuits that terminate in an analog office and where the multiplexer performs DS1/Voice multiplexing functions; 3) a Multiplexing Charge will always apply on High Capacity shared use switched and special access facilities.

(G) Dedicated Switched Access

The Dedicated Switched Access Transport Rate is assessed upon customers subscribing to CCS7 Access Service for the use of facilities between the customer's common channel signaling network and the Telephone Company's signaling transfer point. It is a flat rated, distance-sensitive monthly rate. This rate element is further described in 6.2.7.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.2 Local Transport (Cont'd)

(H) Mileage Measurement Exceptions

- (1) The Telephone Company may reconfigure its local exchange plant as required in the normal operation of its business. If such network reconfiguration results in a changed location of the IC serving wire center the Telephone Company will provide the IC with a minimum 6 months notice. The Local Transport Mileage measurement will be based upon the new serving wire center's V & H coordinates and the end office switch V & H coordinates.
- (2) For FGA and BSA-A, the Entrance Facility charge shall apply between the customer's premises and the customer's serving wire center. If the serving wire center is not the dial tone office, Direct-Trunked Transport shall apply between the serving wire center and the dial tone office. Tandem-Switched Transport (Facility and Termination) rates, excluding the Tandem Switching charge, shall apply between the dial tone office and the end office for FGA or BSA-A traffic that originates and/or terminates within the FGA or BSA-A Access Area.

For FGA and BSA-A calls terminated on an extended basis outside the FGA or BSA-A Access Area, but within the LATA, mileage in the terminating direction is also calculated on the airline distance between the FGA or BSA-A dial tone office and the end office switch where the call terminates as set forth in 6.5.9 (A) following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.2 Local Transport (Cont'd)

(H) Mileage Measurement Exceptions (Cont'd)

- (3) When the Alternate Traffic Routing optional feature is provided with Feature Groups C, D, 500 Access Service, 800/877/888 Access Service, and 900 Access Service or as a BSE with BSA-B, BSA-C and BSA-D the Local Transport access minutes will be apportioned between the two trunk groups used to provide this feature. Such apportionment will be made using standard Telephone Company traffic engineering methodology and will be based on the last trunk CCS desired for the high usage group, as described in 6.3.2(N), and the total busy hour minutes of capacity ordered to the end office, when the feature is provided at an end office switch, or to the subtending end offices when the feature is provided at a Telephone Company access tandem. This apportionment will serve as the basis for Local Transport mileage calculation. For FGD and BSA-D, the apportionment will be based on the actual measured data which is recorded against the specific trunk group that carried a particular call.
- (4) When terminating FGC or BSA-C Switched Access Service is provided from multiple customer premises to an end office not equipped with measurement capabilities, the total Local Transport access minutes for that end office will be apportioned among the trunk groups accessing the end office on the basis of the individual busy hour minutes of capacity ordered for each of those trunk groups. This apportionment will serve as the basis for Local Transport mileage calculation.
- (5) The Tandem-Switched Transport - Facility rate applies to the switched access minutes of use that originate/terminate at a MTSO directly interconnected to a Telephone Company access tandem or end office. The mileage for access is calculated on an airline mile basis, using the V&H coordinate method, between the customer's SWC and the SWC of the MTSO.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.2 Local Transport (Cont'd)(I) Transitional Local Transport Billing

(1) Beginning December 1, 1993, the Telephone Company will apply Tandem-Switched Transport rates to all existing tandem-routed switched access services provided via a Telephone Company access tandem switch and Entrance Facility and Direct-Trunked Transport charges to all existing DS1 and DS3 Entrance Facility circuits and Direct-Trunked Transport circuits provided to a customer. Existing Voice Grade Entrance Facility and Direct-Trunked Transport circuits will be billed at a Voice Grade, DS1, or DS3 level, as appropriate, based on the number of equivalent DS1 or DS3 circuits.

(2) For the period beginning December 1, 1993 through February 28, 1994, the Telephone Company will bill Local Transport charges applicable to host/remote -configurations and Direct-Trunked Transport ordered to an access tandem in the following manner:

Where switched access traffic originates and/or terminates from/to a remote end office using Tandem-Switched Transport facilities, airline mileage will be measured between the customer's serving wire center and the remote end office for purposes of applying Tandem-Switched Transport Facility charges.

This rating is in lieu of the rate application specified in Section 6.5.2(D).

Direct-Trunked Transport provided from a serving wire center directly to a Telephone Company access tandem will be assessed Tandem-Switched Transport charges. Tandem-Switched Transport mileage will be measured from the serving wire center to the end office(s) where the customer's switched access traffic originates and/or terminates.

This rating is in lieu of the charges specified in Section 6.5.2(C).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.3 End Office

The End Office rate category provides the local end office switching and end user termination functions necessary to complete the transmission of Switched Access communications to and from the end users served by the local end office. The End Office Rate category includes the Local Switching Information Surcharge and Shared Trunk Port rate elements.

End Office rates (Local Switching Information Surcharge and Shared Trunk Port) do not apply to switched access minutes of use that originate or terminate at a Mobile Telephone Switching Office (MTSO) directly interconnected to a Telephone Company access tandem office.

(A) Local Switching

The Local Switching rate element provides for the use of end office switching equipment, the termination of end user common lines at the local end office, and the termination of calls at a Telephone Company intercept operator or recording. The intercept operator or recording tells a caller why a call could not be completed and, if possible, provides the correct number.

Where end offices are appropriately equipped, international dialing may be provided. International dialing provides the capability of switching international calls with service prefix and address codes having more digits than are capable of being switched through a standard FGC, FGD, BSA-C or BSA-D equipped end office.

Local Switching is available on a bundled or unbundled basis. Local Switching - Bundled (EOSB) rates apply to Switched Access services provided as Feature Groups. Local Switching - Unbundled (EOSU) rates apply to Switched Access services provided as Basic Serving Arrangements. EOSB and EOSU rates are applied on a premium and a nonpremium basis as discussed in 6.5.6.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.3 End Office (Cont'd)(B) Information Surcharge

Information Surcharge rates are assessed to a customer based on the total number of access minutes. Information Surcharge rates are set forth in 6.6 following. The application of these rates with respect to individual Switched Access Arrangements is set forth in 6.5.6.

(C) 800/877/888 Data Base Query Service

Query usage charges for 800/877/888 Data Base Query Service shown in 6.2.10(D) apply as follows:

- (1) A Basic 800/877/888 Data Base Query charge will apply for each basic 800/877/888 call query completed at the Telephone Company's 800/877/888 data base. Per query charges are accumulated over a monthly period and billed to the customer on a monthly basis.
- (2) A Premium 800/877/888 Data Base Query charge will apply for each premium 800, 877 or 888 call query completed at the Telephone Company's 800/877/888 data base. Per query charges are accumulated over a monthly period and billed to the customer on a monthly basis.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.3 End Office (Cont'd)(D) Tandem Switch Signaling

Tandem Switch Signaling, offered in conjunction with FGD and BSA-D Switched Access, 500 SAC Access Service, or 900 SAC Access Service with either multifrequency address signaling or SS7 Out of Band Signaling Access Service, provides the carrier identification code (CIC) and the OZZ code or circuit code as described in 6.3.2(AA) to determine the customer and trunk group(s) where traffic will be routed.

Rate regulations applicable to Tandem Switch Signaling are found in 6.5.14.

(E) Shared Trunk Port

The Shared Trunk Port provides for the termination of a Tandem-Switched Trunk at an end office. The Shared Trunk Port is usage rated and shall be assessed to all access minutes which utilize Tandem-Switched Transport. This includes minutes of use associated with FGA service when traffic is terminated in an end office that is not the dial tone office and on minutes of use provided at a remote office.

The Shared Trunk Port charge does not apply to switched access minutes of use that originate or terminate at MTSOs directly interconnected to a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.4 Nonrecurring Charges

Nonrecurring charges are one-time charges that apply for specific work activities in conjunction with providing switched access service or a change to an existing Switched Access Arrangement.

(A) Switched Access Installation and Ordering Charges

(1) Service Installation Charge

For Entrance Facilities, this charge applies to customer requests for installation of Switched Access Entrance Facilities from the customer premises to the serving wire center. The Service Installation Charge applies on a per Entrance Facility basis and is dependant upon the type of Entrance Facility ordered (i.e., Voice Grade, DS1 or DS3). Changes in the type of Entrance Facility will be treated as a discontinuance of one type of service and a start of another. The Service Installation Charge shall apply to the new Entrance Facility installation.

For multiplexing, this charge applies per multiplexing arrangement ordered and is dependent upon the type of multiplexing performed.

The Service Installation Charge does not apply to CCS7 Access service installations. Nonrecurring Charges applicable to CCS7 Access services are described in 6.5.4.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.4 Nonrecurring Charges (Cont'd)
- (A) Switched Access Installation and Ordering Charges
- (2) Switched Access Ordering Charge

This charge, applied on a per ASR basis, is associated with the work performed by the Telephone Company in connection with the receiving, recording and processing of service requests. The Switched Access Ordering Charge applies to all requests to establish Entrance Facilities, Direct-Trunked Transport Facilities, and Tandem-Switched Transport Facilities. Where Entrance Facilities and Direct-Trunked and/or Tandem-Switched Transport are ordered on a single ASR, only one Switched Access Ordering Charge applies. This charge is in addition to any Service Installation Charge for Entrance Facility installations.

The Switched Access Ordering Charge also applies to requests to activate additional trunks or to increase BHMC on existing Switched Transport Facilities, changes in the type of Feature Group or Direct-Trunked Transport, and for any modifications or changes to existing services that are not considered an administrative change as described in 6.5.4(B).

This charge also applies, per ASR, for the installation, addition, change, rearrangement or move of EIS Switched and Special Access Service facilities, except as specified in 6.5.4(B).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.4 Nonrecurring Charges (Cont'd)
- (A) Switched Access Installation and Ordering Charges
 - (2) Switched Access Ordering Charge (Cont'd)

The Switched Access Ordering Charge will not apply to requests where the customer has existing FGB or BSA-B and/or FGD or BSA-D at a Telephone Company access tandem and the customer wants to add FGB or BSA-B and/or FGD or BSA-D to a subtending end office which is converting to equal access, and the request does not involve physical changes, additions or deletions to the existing facilities.

The Switched Access Ordering Charge will not apply to requests where the customer has existing FGB or BSA-B and/or FGD or BSA-D and the customer wants to add a new CIC Code to those existing facilities (except as noted above).

- (3) Switched Access Installation Charge Waiver

Pursuant to the Federal Communications Commission's (FCC) Order in CC Docket No. 96-262, Access Charge Reform, released May 16, 1997, all nonrecurring charges (NRCs) for service connection are waived when a customer converts trunks from tandem-switched to direct-trunked for Tandem Switched Transport between the Tandem Switch and the Serving Wire Center (SWC). NRCs are also waived if a customer orders the discontinuance of over provisioned trunks between the Tandem Switch and the SWC. Waiver of these NRCs continues through December 31, 1998.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.4 Nonrecurring Charges (Cont'd)

(B) Administrative Changes

Administrative changes will be made without charge(s) to the customer. Administrative changes are as follows:

- Change of customer name,
- Change of customer or customer's end user premises address when the change of address is not a result of a physical relocation of equipment,
- Change in billing date (name, address, or contact name or telephone number),
- Change of agency authorization,
- Change of customer circuit identification,
- Change of billing account number,
- Change of customer test line number,
- Change of customer or customer's end user contact name or telephone number, and
- Change of jurisdiction.

(C) Moves

A move involves a change in the physical location of one of the following:

- The point of termination at the customer's premises
- The customer's premises

The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.4 Nonrecurring Charges (Cont'd)(C) Moves (Cont'd)(1) Moves Within the Same Building

When the move is to a new location within the same building, the Telephone Company shall be responsible for the physical relocation of the Point of Termination and any associated Network Terminating Wire as outlined in applicable Telephone Company operating practices. The charge for the move except for moves within a wire center to an EIS as described in Section 17, will be the Switched Access Ordering Charge as set forth in (A)(1) preceding. There will be no change in the minimum period requirements.

(2) Moves to a Different Building

Moves to a different building and moves of the point of termination within a wire center to an EIS as described in Section 17, will be treated as a discontinuance and start of service and the Telephone Company shall provide a physical Point of Termination and any necessary Network Terminating Wire located at the new building as outlined in applicable Telephone Company operating practices. All associated nonrecurring charges will apply per service. New minimum period requirements will be established for the new service. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued service.

(D) NXX Translation Nonrecurring Charge

The NXX Translation Nonrecurring Charge, as set forth in 6.6, shall apply to each 500 or 900 NXX code activated or deactivated in a Telephone Company switch capable of performing the customer identification function for 500 Access Service or 900 Access Service. The total nonrecurring charge per customer order shall be determined by multiplying the number of switches in which the Telephone Company must activate or deactivate the NXX code within the serving area specified by the customer's order times the appropriate nonrecurring charge. Separate nonrecurring charges apply to the activation or deactivation of the first NXX code contained on the customer's ASR and to the activation or deactivation of each additional NXX code contained on the same ASR. In addition, the Switched Access Ordering Charge, as set forth in 6.5.4(A)(2) will apply per ASR submitted for the activation or deactivation of NXX codes.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.4 Nonrecurring Charges (Cont'd)

(E) Change of Feature Group or BSA Type

Changes from one type of Feature Group or BSA to another will be treated as a discontinuance of one type of service and a start of another and new minimum period obligations will be established. Nonrecurring charges will apply, with one exception.

When a customer orders the conversion of FGA to BSA-A, FGB to BSA-B, FGC to BSA-C, or the conversion of FGD to BSA-D at the same first point of switching and without the addition of BSEs not comparable to any optional arrangements already included with the feature group to be converted, the Ordering Charge will not apply for a period of 180 days' ending May 28, 1996.

When a customer upgrades a FGA, FGB, BSA-A or BSA-B service to a FGD or BSA-D service, and when FGC or BSA-C is upgraded to FGD or BSA-D coincident with the availability of FGD or BSA-D in an end office the nonrecurring charge will not apply and minimum period obligations will not change if the following conditions are met:

- (1) The same customer premises is maintained, and
- (2) The customer submits a disconnect order for FGA, FGB, BSA-A or BSA-B within 30 days after the customer is notified by the Telephone Company as to the results of the final Presubscription allocation of end users to the customer. Further, the customer must request an effective date for the disconnect orders within 60 days after the Telephone Company has notified the customer of the results of the final Presubscription allocation.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.4 Nonrecurring Charges (Cont'd)

(F) Signaling System 7 (SS7) Out of Band Signaling

- (1) The Switched Access Ordering Charge will apply for a change in FGD or BSA-D switched access and 800/877/888 Access signaling from multifrequency address signaling to SS7 Out of Band Signaling except as specified in 6.5.4(F)(1).

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes
- (A) Measurement and Determination of Access Minutes

Customer traffic to end offices will be measured (i.e., recorded) by the Telephone Company at end offices or Telephone Company access tandems. Originating and terminating calls will be measured by the Telephone Company, as set forth in (B) through (F) to determine the basis for computing chargeable access minutes. In the event the customer message detail is not available because the Telephone Company lost or damaged tapes or experienced recording system outages, the Telephone Company will estimate the volume of lost customer access minutes of use based on previous actual recorded usage. The Customer's facilities shall provide the necessary on-hook, off-hook, answer and disconnect supervision.

For terminating calls over FGA, FGB, FGC, BSA-A, BSA-B, BSA-C to 500, 800, 877, 888 or 900, and FGD or BSA-D, and for originating calls over FGA, FGB, FGD, BSA-A, BSA-B, BSA-D and 500 Access Service, 800/877/888 Access Service or 900 Access Service from equal access offices, the measured minutes are the chargeable access minutes. For originating calls over FGC or BSA-C and 500 Access Service, 800/877/888 Access Service and 900 Access Service from non-equal access offices, chargeable originating access minutes are derived from recorded minutes as set forth in (D). When assumed minutes are used, the assumed minutes are the chargeable access minutes as set forth in (G). When mixed interstate and intrastate Switched Access Service is provided the percent of interstate usage is determined as set forth in (H).

For FGB, FGC, FGD, BSA-B, BSA-C and BSA-D access minutes or fractions thereof, the exact value of the fraction being a function of the switch technology where the measurement is made, are accumulated over the billing period for each end office, and are then rounded up to the nearest access minute for each end office.

For FGA and BSA-A access minutes or fractions thereof, the exact value of the fraction being a function of the switch technology where the measurement is made, are accumulated over the billing period of each line or hunt group, and are then rounded up to the nearest access minute for each line or hunt group.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.5 Determination of Access Minutes (Cont'd)(B) Feature Group A and BSA-A Usage Measurement

For originating calls over FGA and BSA-A, usage measurement begins upon acknowledgment from the customer.

The measurement of originating call usage over FGA or BSA-A ends when the originating FGA or BSA-A entry switch receives an on-hook supervisory signal from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, which ever is recognized first by the entry switch.

For terminating calls over FGA or BSA-A, usage measurement begins when the terminating FGA or BSA-A entry switch receives an off-hook supervisory signal from the terminating end user's end office, indicating the terminating end user has answered.

The measurement of terminating call usage over FGA or BSA-A ends when the terminating FGA or BSA-A entry switch receives an on-hook supervisory signal from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

(C) Feature Group B and BSA-B Usage Measurement

For originating calls over FGB and BSA-B, usage measurement begins when the originating FGB or BSA-B entry switch receives answer supervision forwarded from the customer's point of termination, indicating the customer's equipment has answered.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
- (C) Feature Group B and BSA-B Usage Measurement (Cont'd)

The measurement of originating call usage over FGB and BSA-B ends when the originating FGB or BSA-B entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

For terminating calls over FGB and BSA-B, usage measurement begins when the terminating FGB or BSA-B entry switch receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered.

The measurement of terminating call usage over FGB or BSA-B ends when the terminating FGB or BSA-B entry switch receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, which ever is recognized first by the entry switch.

- (D) Feature Group C and BSA-C Usage Measurement

For originating calls over FGC and BSA-C, usage measurement begins when the originating FGC or BSA-C entry switch receives answer supervision from the customer's point of termination, indicating the called party has answered.

The measurement of originating call usage over FGC and BSA-C ends when the originating FGC or BSA-C entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

For originating calls over FGC and BSA-C, chargeable access minutes are calculated as follows.

Step 1: Obtain recorded originating minutes and messages from the appropriate recording data.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.5 Determination of Access Minutes (Cont'd)

(D) Feature Group C and BSA-C Usage Measurement (Cont'd)

Step 2: Obtain the total attempts by dividing the originating measured messages by the completion ratio. Completion ratios (CR) are obtained separately for the major call categories such as DDD, operator, 500, 800, 888, 900, directory assistance and international from a sample study which analyzes the ultimate completion status of the total attempts which receive acknowledgment from the customer. That is, Measured Messages divided by Completion Ratio equals Total Attempts.

Step 3: Obtain the total non-conversation time additive (NCTA) by multiplying the total attempts (obtained in Step 2) by the NCTA per attempt ratio. The NCTA per attempt ratio is obtained from the sample study identified in Step 2 by measuring the non-conversation time associated with both completed and incompleting attempts. The total NCTA is the time on a completed attempt from customer acknowledgment of receipt of call to called party answer (set up and ringing) plus the time on an incompleting attempt from customer acknowledgment of call until the Telephone Company access tandem or end office receives a disconnect signal (ring - no answer, busy or network blockage). That is, Total Attempts times Non-Conversation Time per Attempt Ratio equals Total NCTA.

Step 4: Obtain total chargeable originating access minutes by adding the total NCTA (obtained in Step 3) to the recorded originating measured minutes (obtained in Step 1). That is, Measured Minutes plus NCTA equals Chargeable Originating Access Minutes.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
- (D) Feature Group C and BSA-C Usage Measurement (Cont'd)

Following is an example which illustrates how the chargeable originating access minutes are derived from the measured originating minutes using this formula.

Where: Measured Minutes (M. Min.) = 7,000
 Measured Messages (M. Mes.) = 1,000
 Completion Ratio (CR) = .75
 NCTA per Attempt = .4

- (1) Total Attempts = $\frac{1,000(M\ Mes)}{.75 (CR)}$ = 1,333.33
- (2) Total NCTA = .4 (NCTA per Attempt) x 1,333.33 = 533.33
- (3) Total Chargeable Originating Access Minutes =
 7,000 (M. Min) + 533.33 (NCTA) = 7,533.33

For terminating calls over FGC and BSA-C to services other than 500, 800, 888, 900 or Directory Assistance, terminating FGC or BSA-C usage is not directly measured at the terminating entry switch, but is imputed from the originating service usage, excluding usage from calls to 500, 800, 888, 900 or Directory Assistance Services.

For terminating calls over FGC or BSA-C to 500, 800, 888 or 900 Service, usage measurement begins when the terminating FGC or BSA-C entry switch receives answer supervision from the terminating end user's end office, indicating the terminating 800, 888 or 900 Service end user has answered.

The measurement of terminating call usage over FGC or BSA-C to 500, 800, 888 or 900 Service ends when the terminating FGC or BSA-C entry switch receives an off-hook supervisory signal from the terminating end user's end office, indicating the terminating 500, 800, 888 or 900 Service end user has disconnected, or from the customer's point of termination, whichever is recognized first by the entry switch.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
 PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
- (E) (1) Feature Group D and BSA-D Usage Measurement

For originating calls over FGD and BSA-D with multifrequency (MF) signaling, usage measurement begins when the originating FGD or BSA-D entry switch receives the first wink supervisory signal forwarded from the customer's point of termination.

For originating calls over FGD or BSA-D with SS7 Out of Band Signaling, usage measurement for direct trunks begins when the FGD or BSA-D first point of switching sends an Initial Address Message. Usage measurement for tandem trunks begins when the FGD or BSA-D first point of switching receives an Exit Message.

The measurement of originating call usage over FGD or BSA-D with MF signaling ends when the originating FGD or BSA – D entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

The measurement of originating call usage over FGD or BSA-D with SS7 Out of Band Signaling end when a Release Message is sent or received by the originating end user's end office whichever occurs first.

For terminating calls over FGD and BSA-D with MF signaling, or FGD and BSA-D with SS7 Out of Band Signaling, usage measurement begins when the terminating FGD or BSA-D entry switch receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.5 Determination of Access Minutes (Cont'd)(E) (1) Feature Group D and BSA-D Usage Measurement (Cont'd)

The measurement of terminating call usage over FGD and BSA-D with MF signaling ends when the terminating FGD or BSA-D entry switch receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

The measurement of terminating call usage over FGD and BSA-D with SS7 Out of Band Signaling ends when the FGD or BSA-D first point of switching receives or sends a Release Message, whichever occurs first.

(2) FGD and BSA-D Switched Access Service With 950-XXXX

When a customer orders FGD or BSA-D Switched Access Service with 950-XXXX Access, as described in 6.3.2(AB), to be included with the installation of new FGD or BSA-D switched access facilities, appropriate Switched Access Installation Charges and Switched Access Ordering Charges will apply for the installation of the new FGD or BSA-D switched access facilities.

When a customer orders FGD or BSA-D Switched Access Service with 950-XXXX Access to be added to an existing FGD or BSA-D switched access service, only the Switched Access Ordering Charge and the Design Change Charge will apply for the addition of this optional end office service arrangement.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
- (F) 500, 800, 888 and 900 Access Service Usage Measurement

For originating calls over 500, 800, 888 and 900 Access Service with MF Signaling, usage measurement begins when the originating 500, 800, 888 or 900 Access Service entry switch receives answer supervision from the customer's point of termination, indicating the called party has answered.

For originating calls over 500, 800, 888 and 900 Access Service using SS7 Out of Band Signaling, usage measurement for direct trunks begins when the first point of switching sends an Initial Address Message. Usage measurement for tandem trunks begins when the first point of switching receives an Exit Message.

The measurement of originating call usage over 500, 800, 888 and 900 Access Service with MF Signaling ends when the originating 500, 800, 888 or 900 Access Service entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

The measurement of originating call usage over 500, 800, 888 and 900 Access Service with SS7 Out of Band Signaling ends when a Release Message is sent or received by the originating end user's end office, whichever occurs first.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
- (G) Assumed Minutes of Use

Assumed minutes are used where measurement capability does not exist for FGA, FGB, BSA-A or BSA-B services and are applied on a per line or per trunk basis, as appropriate. The application of assumed minutes of use for FGA, FGB, BSA-A and BSA-B is set forth in (1) and (2) following.

- (1) Where originating and terminating measurement capability does not exist for a FGA or BSA-A service arranged for two way calling, the number of assumed access minutes as set forth under the 2-Way total in 6.6 following will apply per line. Where measurement capability exists for either originating or terminating usage, but not both, on a line arranged for two way calling, the number of access minutes per line will be the number of assumed access minutes as set forth under the "2-Way" total in 6.6 following or the measured usage, whichever is greater.

Where a FGA or BSA-A service is arranged for either originating calling only or terminating calling only, the number of assumed access minutes as set forth under "Originating" or "Terminating" in 6.6 following, as appropriate, will apply per line.

Where measurement capability does not exist for FGA or BSA-A service, the originating and/or terminating CCL rate as set forth in Section 3.7 preceding will be applied based on the directionality of the line, (i.e., originating or terminating). For lines arranged for two-way calling, other than those arranged for foreign exchange service, 53% of the "two-way" surrogate will be used to apply the originating CCL rate and 47% of the "two-way" surrogate will be used to apply the terminating CCL rate. For FGA or BSA-A service arranged to provide a foreign exchange service, the terminating CCL rate shall apply to all originating and terminating assumed minutes of use.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.5 Determination of Access Minutes (Cont'd)

(G) Assumed Minutes of Use (Cont'd)

- (2) Where originating and terminating measurement capability does not exist for FGB or BSA-B service provided to an end office or Telephone Company access tandem, the number of access minutes will be the "2-Way" assumed minutes of use as set forth in 6.6, per trunk per month when the trunk is arranged for two way calling. Where measurement capability exists for either originating or terminating usage, but not both, on a trunk arranged for two way calling, the number of access minutes per trunk per month will be the "2-Way" assumed minutes of use or the measured usage whichever is greater.

Where a FGB or BSA-B service is arranged for either originating calling only or terminating calling only, the "Originating Only," or "Terminating Only" assumed minutes of use, as set forth in 6.6, will apply per trunk per month for trunks arranged for originating calling only or terminating calling only.

Where originating or terminating measurement capability does not exist for FGB or BSA-B service provided to a Telephone Company access tandem, the number of assumed access minutes will be allocated to each subtending end office for the purposes of applying Local Transport charges. This usage allocation will be based on the ratio of the number of subscriber lines in each end office to the total number of subscriber lines in the FGB or BSA-B Access Area.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
- (H) Jurisdictional Determination

When mixed interstate and intrastate Switched Access Service is provided, all charges (i.e., non-recurring, monthly, and/or usage) except for the Cross Connect element for EIS, will be pro-rated between interstate and intrastate jurisdictions as set forth in (1) following. The customer shall provide, in its order for service, the projected percentage of interstate usage for Switched Access Services as set forth in (1), (2) and (3) following.

The percentage of an Access Service to be charged as Interstate is applied in the following manner:

For monthly and non-recurring chargeable rate elements, except the Cross Connect element, multiply the percentage interstate use times the quantity of each chargeable element times the stated tariff rate per element.

For usage sensitive (i.e., access minutes and calls) chargeable rate elements, multiply the percentage interstate use times actual use (i.e., measured or Telephone Company assumed average use) times the stated tariff rate.

The jurisdiction of the Switched Access Cross Connect Arrangement will be determined in the same manner as the jurisdiction is determined for Special Access services as described in Section 7.1.9.

- (1) For purposes of determining the jurisdiction of Switched Access traffic, once the Switched Access service is activated, the following criteria will apply:

When the Telephone Company has measurement capability to provide the data to determine the jurisdiction of Switched Access traffic, the Telephone Company will determine the jurisdiction of Switched Access traffic. In those instances where the Telephone Company cannot determine the jurisdiction, the customer will be required to provide this information as described following.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.5 Determination of Access Minutes (Cont'd)(H) Jurisdictional Determination (Cont'd)

- (2) To determine the jurisdiction of FGA, FGB, BSA-A and BSA-B Switched Access traffic and that traffic placed on a 1+ basis in conjunction with FGA and BSA-A, the following criteria will apply:
- (a) Traffic that enters a customer's network at a point within the same state as that in which the station designated by dialing is situated will be considered as intrastate.
 - (b) Traffic that enters a customer's network at a point in a state other than that in which the station designated by dialing is situated will be considered interstate.
- (3) When a customer submits an order for Switched Access services the customer must state the Percentage of Interstate Usage (PIU) on a statewide, LATA, billing account number (BAN) or end office level as follows:
- (a) For FGA, FGB, FGC, FGD, BSA-A, BSA-B, BSA-C, BSA-D, 500, 800, 888 and 900 End Office services, the PIU will be applied to the appropriate Carrier Common Line, End Office Switching, Information Surcharge, Interconnection Charge, and, if applicable, Tandem Switched Transport and Tandem Switching minutes of use.
 - (b) A PIU may be provided for each Entrance Facility and a separate PIU may be provided for each Direct Trunked Transport facility reflecting the originating and terminating traffic of all Switched Access services that use such facilities. When a customer orders the same type of Entrance Facility and Direct-Trunked Transport, i.e., DSO, DS1 or DS3, from the CDL to the first point of switching or Telephone Company hub, the customer may submit one PIU to be applied to both the Entrance Facility and the Direct-Trunked Transport. A consolidated PIU for all Entrance Facility and Direct Trunked Transport elements may be provided at the option of the customer if such PIU is representative of the actual interstate use of the service.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.5 Determination of Access Minutes (Cont'd)

(H) Jurisdictional Determination (Cont'd)

(3) (Cont'd)

(c) The PIU for Switched Access Services must be provided by the customer of record when used in conjunction with Switched Access EIS as described in Section 17.

(4) The customer will provide quarterly reports indicating the percent of total Switched Access usage that is interstate and intrastate. The reports may aggregate usage at a statewide, LATA, BAN (Billing Account Number) or end office level.

The reports will be based on the calendar year and will be due within fifteen days after the end of the quarter beginning with the completion of the first full quarter of service.

The customer will maintain records of call detail from which the jurisdictional determination is made. For verification purposes the Telephone Company may request that these records be made available for inspection and audit on not more than an annual basis. Such audit may be conducted by independent auditors if the Telephone Company and the customer, or the customer alone is willing to pay the expense.

The quarterly reports will be used as the basis for prorating charges to the interstate and intrastate jurisdictions for the next three month's billing and will be effective on the first day of the next monthly billing period which begins at least 15 business days after the day on which the customer reports the revised jurisdictional information to the Telephone Company.

In the event the customer fails to provide a report for one or more quarters, the Telephone Company will use the most recently provided quarterly report for subsequent bills until the customer provides an updated report.

No revisions to bills preceding the effective date of the revised jurisdictional information will be made based on this report.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.5 Determination of Access Minutes (Cont'd)
 - (H) Jurisdictional Determination (Cont'd)
 - (4) (Cont'd)

In those situations where a PIU for application to Entrance Facility or Direct-Trunked Transport charges has not been provided with a quarterly update and is therefore not available, GTE will apply a current PIU factor from its Jurisdictional Factors Database. The first available factor from the following sequence will be selected: Feature Group D first, Feature Group B second and Feature Group C third.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.6 Determination of Nonpremium and Premium Rates

- (A) Rates are applied either as premium rates or nonpremium rates. Nonpremium rates are discounted access minute rates for measured or assumed access minutes.

The Local Transport Interconnection Charge, End Office Switching, Information Surcharge, and the Shared Trunk Port rates are applied either as premium rates or nonpremium rates. The Entrance Facility, Direct-Trunked Transport, Tandem-Switched Transport, multiplexing and EIS Cross Connect rate elements are not subject to premium and nonpremium rating.

The specific application of these rates for a customer is dependent upon the Switched Access Service and the availability of equal access capabilities in the end office to which the service is provided.

- (1) The following rules provide the basis for applying the rates and charges:

- (a) Premium rates apply to all:

- (b) FGC, FGD, BSA-C and BSA-D access minutes,

FGA, FGB, BSA-A and BSA-B access minutes that originate from or terminate at end offices or entry switches equipped with equal access (i.e., FGD or BSA-D) capabilities, except those end offices subtending a centralized Telephone Company equal access tandem where the use of a 101XXXX access code is not available,

- (c) 500, 800, 888 and 900 access minutes that originate from end offices equipped with equal access (i.e., FGD or BSA-D) capabilities,

- (d) all originating and terminating access minutes where the service is provided to AT&T, and

- (e) all switched access minutes of use that originate or terminate at a Mobile Telephone Switching Office (MTSO) directly interconnected to a Telephone Company access tandem office or to an equal access type end office.

When an end office is converted to an equal access end office, the FGA, FGB, BSA-A and BSA-B customers will have the choice of converting existing services to equal access (i.e., FGD and BSA-D) at no charge, as set forth in 6.5.4(E) or retaining the existing services. Except for those end offices set forth in (b), premium rates will apply to the total access minutes beginning on the actual conversion date, whether the customer chooses to convert to FGD or BSA-D or retain existing services. Existing FGC or BSA-C service must be converted to FGD or BSA-D service when an end office is converted to equal access.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.6 Determination of Nonpremium and Premium Rates (Cont'd)

(A) (Cont'd)

- (2) Nonpremium usage rates apply to all FGA, FGB, BSA-A or BSA-B access minutes (measured or assumed) and all 500 Access Service, 800/877/888 Access Service and 900 Access Service access minutes that originate from or terminate at end offices not equipped with equal access capabilities, except where the service is provided to AT&T. Nonpremium rates also apply to all FGA, FGB, BSA-A and BSA-B access minutes originating from or terminating to an end office subtending a centralized Telephone Company equal access tandem where the use of a 101XXXX access code is not available. All minutes of use originating from or terminating to offices in Iowa and Indiana using alternate technologies for equal access within a Centralized Equal Access tandem network described in Section 15 will be charged nonpremium rates.

Where originating and/or terminating measurement capability does not exist for FGA, FGB, BSA-A or BSA-B provided to an entry switch, the number of access minutes that will be assumed are as set forth in Section 6.6.

(B) Transition Billing Arrangement

- (1) When FGA, FGB, BSA-A or BSA-B Switched Access Service provided to an entry switch (i.e., dial tone office for FGA or BSA-A and Telephone Company access tandem for FGB or BSA-B) has usage originating from and/or terminating at both end offices that have been converted to equal access and end offices that have not been converted, the premium and nonpremium rates will apply in the following manner:
- (2) All access minutes that originate from or terminate at the equal access end office(s) will be billed at premium rates. Access minutes that originate from or terminate at end offices not equipped with equal access capabilities, and those end offices subtending a centralized Telephone Company equal access tandem as specified in (A)(2), hereinafter, referred to as nonpremium access minutes, will continue to be billed at nonpremium rates. Nonpremium usage rates will apply as follows depending on the type of service.
- (3) The number of non-premium access minutes to be billed at nonpremium rates is derived by subtracting the number of premium rated access minutes from the total number of access minutes.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.5 Rate Categories, Applications, and Regulations (Cont'd)

6.5.6 Determination of Nonpremium and Premium Rates (Cont'd)

(B) Transition Billing Arrangement (Cont'd)

- (4) The number of access minutes to be rated as premium access minutes is determined as follows:

Where end office specific usage data is available, premium rates apply to the measured access minutes originating from or terminating at the equal access end office(s) excluding access minutes originating or terminating at end offices subtending a centralized Telephone Company equal access tandem as specified in (A)(2).

Where measurement capability does not exist and/or end office specific usage data is not available, originating and/or terminating usage will be apportioned between premium and nonpremium usage as described following:

- (5) The usage to be apportioned will be the recorded usage or the assumed usage for FGA, FGB, BSA-A and BSA-B. Such apportionment will be based on the ratio of the number of subscriber lines in the access area (i.e., local calling area, or end offices subtending the Telephone Company access tandem, as appropriate) of the entry switch that are served by equal access end offices to the total number of subscriber lines in that access area. For purposes of this apportionment, lines served by end offices subtending a centralized Telephone Company equal access tandem in which the use of a 101XXXX access code is not available will not be included in the count of equal access lines for billing of access minutes. The ratio thus developed is applied to the total measured or assumed originating FGA or BSA-A usage, terminating FGA or BSA-A usage, originating FGB or BSA-B usage or terminating FGB or BSA-B usage, as applicable, to determine the usage to be billed at premium rates.

The ratios used to determine the premium usage, as set forth in (4) above, will be updated on a quarterly basis and provided to the customer with the last bill rendered for the preceding quarter or mailed separately within five working days after the first day of the new quarter. Information regarding the data used to derive the ratios will be provided to the customer upon reasonable request.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.6 Determination of Nonpremium and Premium Rates (Cont'd)(B) Transition Billing Arrangement (Cont'd)

- (6) For purposes of administering this provision: (1) subscriber lines are defined as exchange service lines, Centrex lines and Centrex-type lines provided by the Telephone Company under its local and/or general exchange service tariff; (2) the access area is defined as the local calling area of the dial tone office for originating and terminating FGA or BSA-A, and all end offices subtending the Telephone Company access tandem for originating and terminating FGB or BSA-B; and (3) the local calling area of the dial tone office is as defined in the Telephone Company's local and/or general exchange service tariff.

6.5.7 Minimum Periods and Charges(A) Minimum Periods

Switched Access Service is provided for a minimum period of one month.

(B) Minimum Monthly Charge

Switched Access Service is subject to a minimum monthly charge. The minimum charge applies for the total capacity of service provided.

For all Switched Access Arrangements, the minimum monthly charge is the sum of the Local Switching, Local Transport and Information Surcharge charges set forth in 6.6 and the Carrier Common Line charges set forth in 3.7 for the measured or assumed usage for the month.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.8 Application of Rates for FGA and BSA-A Extension Service

When a FGA or BSA-A extension service is provided with additional terminations of the service at different building(s) in the same or a different Local Serving Area, the FGA or BSA-A extensions within the Local Serving Area are provided and charged for under the Telephone Company's local and/or general exchange service tariffs, and the FGA or BSA-A extensions in different Local Serving Areas are provided and charged for as Special Access Service. The applicable rate elements which may apply are: A Voice Grade Circuit Termination, Circuit Mileage, and Signaling Capability (optional features and functions). All appropriate monthly rates and nonrecurring charges set forth in 7.5.5 following will apply.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.9 Application of Rates for Extended FGA and BSA-A Terminating Service

(A) For calls established on a 1+ or expanded seven digit measured calling basis, outside the specific FGA or BSA-A Access Area, however inside the LATA, in conjunction with terminating FGA or BSA-A traffic to an end office, the following rates apply:

- for each access minute, the rates per access minute for Local Switching and the Information Surcharge.
- for each access minute, the Tandem-Switched Transport Facility rate per access minute per airline mile and the Tandem-Switched Transport-Termination per access minute per termination.

When the serving wire center of the customer's premises is the dial tone office, the Tandem-Switched Transport-Facility rate is applicable and mileage is measured from the serving wire center (i.e., the dial tone office) of the customer's premises to the end office.

When the serving wire center of the customer's premises is not the dial tone office, the Direct-Trunked Transport rate is applicable for mileage measured between the serving wire center of the customer's premises and the dial tone office. The Tandem-Switched Transport-Facility rate is applicable for mileage measured between the dial tone office and the end office.

The Tandem-Switching rate is not applicable for Extended FGA or BSA-A terminating traffic.

Where the FGA or BSA-A call terminates at an end office equipped with Equal Access, premium usage rates apply. Where the FGA or BSA-A call terminates at an end office not equipped with Equal Access, non-premium usage rates apply.

(B) When FGA or BSA-A terminating traffic is extended outside the LATA, Switched Access rate elements will be billed to the FGA or BSA-A customer for the terminating interLATA access function provided via the FGA or BSA-A connection, and Switched Access rate elements will be billed to the IC providing the interLATA service to the FGA or BSA-A customer for the originating interLATA access function.

(C) Rates for FGA and BSA-A calls terminated to NXXs outside the FGA or BSA-A Access Area as set forth in the preceding paragraphs are in addition to the applicable FGA and BSA-A rates charged within the FGA or BSA-A Access Area for each such call.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.10 Network Blocking Charge for Feature Group D and BSA-D

In the event that a customer's FGD or BSA-D trunk group blocking threshold stated below is exceeded, the customer will be notified by the Telephone Company to increase its capacity (busy hour minutes of capacity or quantities of trunks) when excessive trunk group blocking occurs on groups carrying FGD or BSA-D traffic and the measured access minutes for that hour exceed the capacity purchased. The blocking thresholds are predicted on time consistent, hourly measurements over a 30 day period excluding Saturdays, Sundays and national holidays. If the order for additional capacity has not been received by the Telephone Company within 15 days of the notification, the Telephone Company will bill the customer, at the rate set forth in 6.5.8, for each overflow in excess of the blocking threshold when (1) the average "30 day period" overflow exceeds the threshold level for any particular hour and (2) the "30 day period" measured average originating or two-way usage for the same clock hour exceeds the capacity ordered.

Blocking Thresholds

<u>Trunks in Service</u>	<u>1%</u>	<u>1/2%</u>
1-2	.070	.045
3-4	.050	.035
5-6	.040	.025
7 or greater	.030	.020

The 1% blocking threshold is for transmission paths carrying traffic direct (without an alternate route) between an end office and a customer's premises. The 1/2% blocking threshold is for transmission paths carrying first routed traffic between an end office and a customer's premises via a Telephone Company access tandem.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.11 Shared Use Facilities

When a Special Access service and Switched Access service is provided over the same Wideband Analog or High Capacity facility through a common interface, the facility will be considered as part of the Special Access Service, and will be ordered, provided, and rated as set forth in 7.2.5 following.

Switched Access Service rates and charges will apply for each channel of the shared use facility that is used to provide a switched access service.

6.5.12 CCS7 Access Service

CCS7 Access Service as described in 6.2.7, connecting a customer's STPs to Telephone Company STPs, requires four STP Port Terminations and four Dedicated Switched Access Facilities. CCS7 Access Service connecting customer Signaling or Service Switching Points to Telephone Company STPs requires two STP Port Terminations and two Dedicated Switched Access facilities.

(A) Dedicated Switched Access

Dedicated Switched Access is composed of two rate elements: Dedicated Switched Access Line (DSAL) and Dedicated Switched Access Transport (DSAT). The DSAL has a nonrecurring charge and monthly recurring charge. The DSAT has only a monthly recurring charge and is charged for on a per airline mile basis.

(B) STP Port Terminations

The STP Port Terminations are charged both a nonrecurring charge and monthly recurring rate.

When a new mated RSTP/STP pair partially or fully replaces an existing mated RSTP/STP pair; Switched Access Ordering charges, DSAL nonrecurring charges, and RSTP/STP Port Termination charges will not apply to service rearrangements to discontinue Dedicated Switched Access connections at the existing pair and reestablish Dedicated Switched Access connections at the new mated RSTP/STP pair.

(C) SS7 Transport

SS7 Transport is not provided in Alabama and Missouri.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.13 Switched Access Cross Connect

The Switched Access Cross Connect charge provides the communications path between Telephone Company provided Switched Access Services and a customer's transmission equipment and facilities where the customer is provided EIS as defined in Section 17. The DS0 Cross Connect arrangement may connect directly to a Telephone Company provided Switched Access Voiceband Direct Trunked Transport. The DS1 Cross Connect arrangement may connect directly to Telephone Company provided Switched Access Services at a DS1 interface, to DS1 Direct Trunked Transport, or to a Telephone Company provided DS1 multiplexing arrangement. The DS3 Cross Connect arrangement may connect directly to DS3 Direct Trunked Transport or a Telephone Company provided DS3 to DS1 multiplexing arrangement. When a DS3 Direct Trunked Transport or Cross Connect arrangement is requested for connection to Switched Access Services, a DS3/DS1 multiplexing arrangement is required. The Cross Connect charge applies per DS1 or DS3 connection. Rates for DS1 and DS3 Cross Connect arrangements are listed in 6.6.3

6.5.14 Tandem Switch Signaling (TSS)

TSS will be provided via FGD or BSA-D Switched Access, 500 SAC Access, or 900 SAC Access services with either multifrequency (MF) address signaling or SS7 Out of Band Signaling. TSS is available with originating calling only, terminating calling only, or, where available, two-way calling trunks. TSS two-way calling trunks are only available from end offices where the switch technology is capable of measuring the terminating usage on two-way TSS equipped trunks. Where the end office switch technology is not capable of measuring terminating usage on two-way calling TSS equipped trunks, the customer must order originating calling only and/or terminating calling only trunks for use with TSS.

Switched Access connections to the customer's access tandem location(s) shall be via Direct-Trunked Transport, Entrance Facility, and/or a customer's transmission equipment and facilities using DS1 or DS3 Cross Connect arrangement where the customer is provided Expanded Interconnection Service as described in Section 17. The Switched Access Entrance Facility provides the facility, including interface arrangement, between the point of termination at the customer designated location and the Telephone Company's serving wire center. Direct-Trunked Transport provides the interoffice facilities dedicated to a single customer between the serving wire center and end offices. TSS is not available via a Telephone Company access tandem. The facilities ordered by the customer for connectivity from the customer's access tandem to an IC's CDL is provided via Special Access facilities as described in Section 7.

- For originating usage the owner of the carrier identification code will be billed for all usage.
- For terminating usage all associated Switched Access charges are the responsibility of the TSS customer. At the TSS customer's request, the Telephone Company will bill each of the TSS customer's users directly for their respective usage, if the TSS customer agrees to furnish the Telephone Company, free of charge, the call detail information necessary to bill its users. This call detail information must be provided daily for the previous day's usage in industry standard format (i.e., 1101-20 Expanded Message Record format with end office level detail). The information must be provided by either electronic transmission or magnetic tape as specified by the Telephone Company.

(This page filed under Transmittal No. 26.)

ACCESS SERVICE

- 6. Switched Access Service (Cont'd)
- 6.5 Rate Categories, Applications, and Regulations (Cont'd)
- 6.5.14 Tandem Switch Signaling (TSS) (Cont'd)

If the TSS customer fails to provide the call detail information or fails to provide the information in the required format within 30 days from the call activity date, then the TSS customer will be billed for that day's usage. Where the total usage measured by the Telephone Company differs from the total amount of usage provided by the TSS customer's call detail information, the Telephone Company will work cooperatively with the customer to resolve the discrepancies.

The TSS customer must retain documentation in support of the billing information for a period of fifteen months after submission of the billing tapes to the Telephone Company. The Telephone Company reserves the right to audit billing tape information upon 30 days' notice to the TSS customer. In the event of a discrepancy, if final agreement cannot be reached, charges will be billed based on the results of the audit.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.15 Basic Service Elements (BSEs)

Recurring rates and charges for Basic Service Elements (BSEs) in 6.2.14 are applied on a premium or nonpremium basis as discussed in 6.5.6. The ASR Ordering Charge will not apply when a customer orders BSEs in conjunction with the establishment of a Basic Serving Arrangement (BSA) or the conversion of a feature group to a BSA. The ASR Ordering Charge will apply to changes to or additions of BSEs associated with an established BSA. The application of monthly recurring charges or usage rates to BSEs are as follows.

(A) Alternate Traffic Routing - BSE

Premium and nonpremium nonrecurring charges in 6.6 apply per trunk group equipped.

(B) Automatic Number Identification (ANI) - (BSE)

Rates in 6.6 apply per ANI attempt.

(C) User Transfer - BSE

Monthly recurring charges in 6.6 apply per line arranged.

(D) Hunt Group Arrangement - BSE

Premium and nonpremium monthly recurring charges in 6.6 apply per line equipped.

(E) Queuing - BSE

Premium and nonpremium monthly recurring charges in 6.6 apply per group equipped.

(F) Uniform Call Distribution - BSE

Premium and nonpremium monthly recurring charges in 6.6 apply per line equipped.

(G) Simplified Message Desk Interface (SMDI) - BSE

Premium and nonpremium monthly recurring charges in 6.6 apply per DNAL.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.5 Rate Categories, Applications, and Regulations (Cont'd)6.5.15 Basic Service Elements (BSEs)(H) Remote Call Forwarding - BSE

Premium and nonpremium monthly recurring charges in 6.6 apply per line.

(I) Direct Inward Dialing (DID) - BSE

Monthly recurring charges as shown in 6.6 apply.

(J) Billed Number Screening (BNS) - BSE

Monthly recurring charges in 6.6 apply per line.

(K) Answer Supervision - BSE

Monthly recurring charges as shown in 6.6 apply per line.

6.5.16 Carrier Identification Parameter (CIP)

The Carrier Identification Parameter (CIP) provides for the transmission of the Carrier Identification Code (CIC) or the access code 101XXXX to the customer with the Initial Address Message (IAM). CIP will be populated by a 4-digit CIC at the rates shown in 6.6.4. The monthly recurring rate is applicable per trunk. The nonrecurring charge is applicable per CIC, per trunk group. The nonrecurring charge has two rate levels. There is a nonrecurring charge applicable to trunk groups direct to the access tandem and a nonrecurring charge applicable to trunk groups direct to an end office.

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri(A) Local Switching - Bundled (EOSB)

<u>Premium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSB)	<u>Nonpremium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSB)
\$.0019952	\$.0008978

Local Switching - Unbundled (EOSU) - Circuit Switched Line

<u>Premium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)	<u>Nonpremium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)
\$.0019952	\$.0008978

Local Switching - Unbundled (EOSU) - Circuit Switched Trunk

<u>Premium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)	<u>Nonpremium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)
\$.0019952	\$.0008978

(B) Information Surcharge

<u>Premium Rate</u> <u>Information Surcharge</u> <u>Per Access Minute</u>	<u>Nonpremium Rate</u> <u>Information Surcharge</u> <u>Per Access Minute</u>
\$.0000000	\$.0000000

(C) Entrance Facility - 2-Wire and 4-Wire Voice grade

<u>Service</u> <u>Installation Charge</u> <u>Per Entrance Facility</u>	<u>Entrance Facility -</u> <u>2-Wire Voice grade</u> <u>Monthly Rate</u>	<u>Entrance Facility -</u> <u>4-Wire Voice grade</u> <u>Monthly Rate</u>
\$200.00	\$19.01	\$22.81

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri (Cont'd)(D) Entrance Facility - DS1

Service
Installation Charge
Per Entrance Facility

\$450.00

Entrance Facility - DS1
Monthly Rate

\$181.61

(E) Entrance Facility - DS3

Service
Installation Charge
Per Entrance Facility

\$1,000.00

Entrance Facility - DS3
Monthly Rate

\$2,555.00

(F) Direct-Trunked Transport – Voice grade

Direct-Trunked Transport - Mileage
Voice grade Per Mile, Per Month
(1YTXS) (1YLXS)

\$1.25

Direct-Trunked Transport - Fixed
Voice grade Per Facility
(TRL) (TRLAX)

\$7.83

(G) Direct-Trunked Transport - DS1

Direct-Trunked Transport - Mileage
DS1 Per Mile, Per Month
(1YTXS) (1YLXS)

\$11.81

Direct-Trunked Transport - Fixed
DS1 Per Facility
(TRL) (TRLAX)

\$31.09

(H) Direct-Trunked Transport - DS3

Direct-Trunked Transport - Mileage
DS3 Per Mile, Per Month
(1YTXS) (1YLXS)

\$32.95

Direct-Trunked Transport - Fixed
DS3 Per Facility
(TRL) (TRLAX)

\$334.01

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri (Cont'd)(I) Dedicated Trunk Port

End Office <u>Dedicated Trunk Port -Voice grade</u> <u>Monthly Rate, Per Channel</u> (PT8HX)		End Office <u>Dedicated Trunk Port - DS1</u> <u>Rate, Per Channel</u> (PT8JX)	
\$22.47		\$8.39	
Access Tandem <u>Dedicated Trunk Port -Voice grade</u> <u>Monthly Rate, Per Channel</u> (PT8KX)		Access Tandem <u>Dedicated Trunk Port - DS1</u> <u>Monthly Rate, Per Channel</u> (PT8LX)	
\$17.77		\$11.81	

(J) Shared Trunk PortShared Trunk Port
Per Access Minute

\$.0004466

Shared MultiplexingShared Multiplexing
Per Access Minute

\$.0000368

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri (Cont'd)(L) Tandem-Switched Transport - Facility

Tandem-Switched
Transport-Facility
Per Access Minute,
Per Airline Mile

\$.0000346

(M) Tandem-Switched Transport - Termination

Tandem-Switched
Transport-Termination
Per Access Minute,
Per Termination

\$.0001430

(N) Tandem Switching Rate

Premium Rate
Tandem-Switching Rate
Per Access Minute
(USOC)

\$.0014957

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)

6.6 Switched Access Rates and Charges (Cont'd)

6.6.1 Missouri (Cont'd)

(O) Interconnection Rate

Premium Rate

Telephone Company Provided
Transport Per Originating
Access Minute

\$.0000000

Telephone Company Provided
Transport Per Terminating
Access Minute

\$.0000000

Nonpremium Rate

Telephone Company Provided
Transport Per Originating
Access Minute

\$.0000000

Telephone Company Provided
Transport Per Terminating
Access Minute

\$.0000000

Premium Rate

Per EIS Originating
Access Minute

\$.0000000

Per EIS Terminating
Access Minute

\$.0000000

Nonpremium Rate

Per EIS Originating
Access Minute

\$.0000000

Per EIS Terminating
Access Minute

\$.0000000

(P) Multiplexing

<u>DS1 to Voice</u>	
<u>Charge</u>	<u>Rate</u>
\$800.00	\$200.09

<u>DS3 to DS1</u>	
<u>Charge</u>	<u>Rate</u>
\$450.00	\$370.06

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri (Cont'd)(Q) Miscellaneous Switched Access Rates and Charges

800/877/888 Data Base Query Service	<u>Premium</u>	<u>Basic</u>
- Per Query	\$.006543	\$.006543
	<u>Per ASR</u>	
ASR Ordering Charge	\$28.99	
USOC: SESSE		
	<u>Per Call</u>	
FGD and BSA-D Blocking Charge	\$.01	
	<u>1st NXX</u>	<u>Each Add'l NXX</u>
900 NXX Translation		
Nonrecurring Charge		
Per ASR/Per End Office	\$41.95	\$6.60
USOC: NXSAX		
500 NXX Translation		
Nonrecurring Charge		
Per ASR/Per End Office	\$23.00	\$12.00
USOC:	NW51X	NW5AX

Basic Service Elements (BSEs)

Alternate Traffic Routing - BSE

<u>Premium Nonrecurring Rate</u>	<u>Nonpremium Nonrecurring Rate</u>
<u>Per Trunk Group</u>	<u>Per Trunk Group</u>
<u>Equipped</u>	<u>Equipped</u>
<u>(CF3AR)</u>	<u>(CF3AT)</u>
\$67.09	\$30.19

Automatic Number Identification - (ANI) - BSE

<u>Rate</u>
<u>Per ANI Attempt</u>
\$.0001400

(This page filed under Transmittal No. 32.)

Issued: September 16, 2003

Effective: October 1, 2003

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri (Cont'd)(R) Basic Service Elements (BSEs) (Cont'd)

User Transfer - BSE

Monthly Rate
Per Line Arranged
(EO3)

\$1.12

Hunt Group Arrangement - BSE

<u>Premium Monthly Rate</u> <u>Per Line Equipped</u> (CF3HG)	<u>Nonpremium Monthly Rate</u> <u>Per Line Equipped</u> (CF3HT)
--	---

\$0.07

\$0.03

Queuing - BSE

<u>Premium Monthly Rate</u> <u>Per Group Equipped</u> (CF3QU)	<u>Nonpremium Monthly Rate</u> <u>Per Group Equipped</u> (CF3QT)
---	--

\$4.65

\$2.09

Uniform Call Distribution - BSE

<u>Premium Monthly Rate</u> <u>Per Line Equipped</u> (CF3UD)	<u>Nonpremium Monthly Rate</u> <u>Per Line Equipped</u> (CF3UT)
--	---

\$5.00

\$2.25

Simplified Message Desk Interface (SMDI) - BSE

<u>Premium Monthly Rate</u> <u>Per DNAL</u> (SMQPX)	<u>Nonpremium Monthly Rate</u> <u>Per DNAL</u> (SMQNX)
---	--

\$217.30

\$97.79

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.1 Missouri (Cont'd)(R) Basic Service Elements (BSEs) (Cont'd)Remote Call Forwarding - BSE

<u>Premium Monthly Rate</u>	<u>Nonpremium Monthly Rate</u>
<u>Per Line</u>	<u>Per Line</u>
(FOMPX)	(FOMNX)
\$1.63	\$0.73

Direct Inward Dialing (DID) - BSE

<u>Monthly Rate</u>	<u>Monthly Rate</u>
<u>Per DID Term</u>	<u>Per Block of 20 Numbers</u>
(NDT)	(ND4)
\$11.90	\$2.62

Billed Number Screening (BNS) - BSE

<u>Monthly Rate</u>
<u>Per Line</u>
(RTVX)
\$0.33

Answer Supervision - BSE

<u>Monthly Rate</u>
<u>Per Line</u>
\$4.75

(S) Switched Access Assumed Minutes of Use

	<u>Originating Only</u>	<u>Terminating Only</u>	<u>2-Way</u>
FGA and BSA-A	2632	2859	6084
FGB and BSA-B	4952	4952	4952

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama(A) Local Switching - Bundled (EOSB)

<u>Premium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSB)	<u>Nonpremium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSB)
\$.0032696	\$.0014713

Local Switching - Unbundled (EOSU) - Circuit Switched Line

<u>Premium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)	<u>Nonpremium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)
\$.0032696	\$.0014713

Local Switching - Unbundled (EOSU) - Circuit Switched Trunk

<u>Premium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)	<u>Nonpremium Rate</u> <u>Local Switching</u> <u>Per Access Minute</u> (EOSU)
\$.0032696	\$.0014713

(B) Information Surcharge

<u>Premium Rate</u> <u>Information Surcharge</u> <u>Per Access Minute</u>	<u>Nonpremium Rate</u> <u>Information Surcharge</u> <u>Per Access Minute</u>
\$.0000398	\$.0000000

(C) Entrance Facility - 2-Wire and 4-Wire Voice grade

<u>Service</u> <u>Installation Charge</u> <u>Per Entrance Facility</u>	<u>Entrance Facility -</u> <u>2-Wire Voice grade</u> <u>Monthly Rate</u>	<u>Entrance Facility -</u> <u>4-Wire Voice grade</u> <u>Monthly Rate</u>
\$200.00	\$32.70	\$49.11

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(D) Entrance Facility - DS1

<u>Service Installation Charge Per Entrance Facility</u>	<u>Entrance Facility - DS1 Monthly Rate</u>
\$450.00	\$321.15

(E) Entrance Facility - DS3

<u>Service Installation Charge Per Entrance Facility</u>	<u>Entrance Facility - DS3 Monthly Rate</u>
\$1,000.00	\$3,922.07

(F) Direct-Trunked Transport – Voice grade

<u>Direct-Trunked Transport - Mileage Voice grade Per Mile, Per Month (1YTXS) (1YLXS)</u>	<u>Direct-Trunked Transport - Fixed Voice grade Per Facility (TRL) (TRLAX)</u>
\$1.81	\$16.13

(G) Direct-Trunked Transport - DS1

<u>Direct-Trunked Transport - Mileage DS1 Per Mile, Per Month (1YTXS) (1YLXS)</u>	<u>Direct-Trunked Transport - Fixed DS1 Per Facility (TRL) (TRLAX)</u>
\$14.12	\$46.72

(H) Direct-Trunked Transport - DS3

<u>Direct-Trunked Transport - Mileage DS3 Per Mile, Per Month (1YTXS) (1YLXS)</u>	<u>Direct-Trunked Transport - Fixed DS3 Per Facility (TRL) (TRLAX)</u>
\$93.40	\$691.88

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(I) Dedicated Trunk Port

<u>End Office</u> <u>Dedicated Trunk Port -Voice grade</u> <u>Monthly Rate, Per Channel</u> (PT8HX)	<u>End Office</u> <u>Dedicated Trunk Port - DS1</u> <u>Monthly Rate, Per Channel</u> (PT8JX)
\$14.00	\$8.00

<u>Access Tandem</u> <u>Dedicated Trunk Port -Voice grade</u> <u>Monthly Rate, Per Channel</u> (PT8KX)	<u>Access Tandem</u> <u>Dedicated Trunk Port - DS1</u> <u>Monthly Rate, Per Channel</u> (PT8LX)
\$15.81	\$5.99

(J) Shared Trunk Port

Shared Trunk Port
Per Access Minute

\$.0007001

(K) Shared Multiplexing

Shared Multiplexing
Per Access Minute

\$.0001510

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(L) Tandem-Switched Transport - Facility

Tandem-Switched
Transport-Facility
Per Access Minute,
Per Airline Mile

\$.0000910

(M) Tandem-Switched Transport - Termination

Tandem-Switched
Transport-Termination
Per Access Minute,
Per Termination

\$.0002801

(N) Tandem Switching Rate

Tandem-Switching Rate
Per Access Minute
(USOC)

\$.0000000

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(O) Interconnection RatePremium Rate

<u>Telephone Company Provided Transport Per Originating Access Minute</u>	<u>Telephone Company Provided Transport Per Terminating Access Minute</u>
\$.0000000	\$.0000000

Nonpremium Rate

<u>Telephone Company Provided Transport Per Originating Access Minute</u>	<u>Telephone Company Provided Transport Per Terminating Access Minute</u>
\$.0000000	\$.0000000

Premium Rate

<u>Per EIS Originating Access Minute</u>	<u>Per EIS Terminating Access Minute</u>
\$.0000000	\$.0000000

Nonpremium Rate

<u>Per EIS Originating Access Minute</u>	<u>Per EIS Terminating Access Minute</u>
\$.0000000	\$.0000000

(P) Multiplexing

<u>DS1 to Voice</u>		<u>DS3 to DS1</u>	
<u>Service Installation Charge</u>	<u>Monthly Rate</u>	<u>Service Installation Charge</u>	<u>Monthly Rate</u>
\$800.00	\$200.00	\$450.00	\$490.00

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(Q) Miscellaneous Switched Access Rates and Charges

800/877/888 Data Base Query Service	<u>Premium</u>	<u>Basic</u>
- Per Query	\$.007087	\$.007087

ASR Ordering Charge	<u>Per ASR</u>
USOC: SESSE	\$35.17

FGD and BSA-D Blocking Charge	<u>Per Call</u>
	\$.01

900 NXX Translation Nonrecurring Charge	<u>1st NXX</u>	<u>Each Add'l NXX</u>
Per ASR/Per End Office USOC: NXSAX	\$41.60	\$5.39

500 NXX Translation Nonrecurring Charge		
Per ASR/Per End Office USOC:	\$23.00 NW51X	\$12.00 NW5AX

(R) Basic Service Elements (BSEs)

Alternate Traffic Routing - BSE

<u>Premium Nonrecurring Rate</u>	<u>Nonpremium Nonrecurring Rate</u>
<u>Per Trunk Group</u>	<u>Per Trunk Group</u>
<u>Equipped</u>	<u>Equipped</u>
(CF3AR)	(CF3AT)
\$70.82	\$31.87

Automatic Number Identification - (ANI) - BSE

<u>Rate</u>
<u>Per ANI Attempt</u>
\$.0001500

(This page filed under Transmittal No. 32.)

Issued: September 16, 2003

Effective: October 1, 2003

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(R) Basic Service Elements (BSEs) (Cont'd)

User Transfer - BSE

Monthly Rate
Per Line Arranged
(EO3)

\$1.50

Hunt Group Arrangement - BSE

Premium Monthly Rate
Per Line Equipped
(CF3HG)

\$3.00

Nonpremium Monthly Rate
Per Line Equipped
(CF3HT)

\$1.35

Queuing - BSE

Premium Monthly Rate
Per Group Equipped
(CF3QU)

\$15.00

Nonpremium Monthly Rate
Per Group Equipped
(CF3QT)

\$6.75

Uniform Call Distribution - BSE

Premium Monthly Rate
Per Line Equipped
(CF3UD)

\$5.27

Nonpremium Monthly Rate
Per Line Equipped
(CF3UT)

\$2.37

Simplified Message Desk Interface (SMDI) - BSE

Premium Monthly Rate
Per DNAL
(SMQPX)

\$229.39

Nonpremium Monthly Rate
Per DNAL
(SMQNX)

\$103.23

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.2 Alabama (Cont'd)(R) Basic Service Elements (BSEs) (Cont'd)Remote Call Forwarding - BSE

<u>Premium Monthly Rate</u> <u>Per Line</u> (FOMPX)	<u>Nonpremium Monthly Rate</u> <u>Per Line</u> (FOMNX)
\$23.90	\$10.76

Direct Inward Dialing (DID) - BSE

<u>Monthly Rate</u> <u>Per DID Term</u> (NDT)	<u>Monthly Rate</u> <u>Per Block of 20 Numbers</u> (ND4)
\$31.50	\$13.50

Billed Number Screening (BNS) - BSE

<u>Monthly Rate</u> <u>Per Line</u> (RTVQX)
\$1.00

Answer Supervision - BSE

<u>Monthly Rate</u> <u>Per Line</u>
\$7.49

Switched Access Assumed Minutes of Use

	<u>Originating Only</u>	<u>Terminating Only</u>	<u>2-Way</u>
FGA and BSA-A	2068	1834	3902
FGB and BSA-B	5042	5042	5042

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.3 Switched Access Cross Connect

<u>Jurisdiction</u>	DS0 Monthly <u>Rate</u>	DS1 Monthly <u>Rate</u>	DS3 Monthly <u>Rate</u>
Missouri	\$1.86	\$4.20	\$27.55

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.4 Carrier Identification Parameter (CIP)

(USOC)	Non-Recurring Charge-Per CIC, Per End Office Direct Trunk <u>Group</u> (U7CEG)	Non-Recurring Charge-Per CIC, Per Access Tandem Direct Trunk <u>Group</u> (U7C)	Monthly Recurring Charge <u>Per Trunk</u> (U7CPT)
<u>Jurisdiction</u>			
Alabama	\$80.00	\$1,120.00	\$.46
Missouri	80.00	1,120.00	.46

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.5 CCS7 Access Service - Dedicated Switched Access(A) 56 Kbps Digital Facilities

Dedicated Switched

	<u>Access Transport (Per Airline Mile) Monthly Rate</u>	<u>Dedicated Switched Access Line Nonrecurring Charge</u>	<u>Monthly Rate</u>
(USOC)	1J5FS	XSF5X	XSF5X
<u>Jurisdiction</u>			
Alabama	\$1.12	\$100.00	\$105.54
Missouri	2.80	100.00	123.69

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE

6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.5 CCS7 Access Service - Dedicated Switched Access (Cont'd)(B) High Capacity Digital DS1 (1.544 Mbps) Facilities

(USOC)	Dedicated Switched Access Transport (Per Airline Mile)	Dedicated Switched Access Line	
	<u>Monthly Rate</u> 1J5WS	Nonrecurring <u>Charge</u> XSF1X	<u>Monthly Rate</u> XSF1X
<u>Jurisdiction</u>			
Alabama	\$3.35	\$1,500.00	\$176.06
Missouri	6.56	1,500.00	176.04

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211

ACCESS SERVICE6. Switched Access Service (Cont'd)6.6 Switched Access Rates and Charges (Cont'd)6.6.6 CCS7 Access Service - RSTP or STP Port Termination

(USOC)	Nonrecurring <u>Charge</u> PT8SX	Monthly <u>Rate</u> PT8SX
<u>Jurisdiction</u>		
Alabama	\$43.55	\$220.69
Missouri	64.00	225.00

(This page filed under Transmittal No. 26.)

Issued: October 11, 2002

Effective: October 26, 2002

Vice President, External Relations
PO Box 4065, Monroe, LA 71211